National Testing Agency

Question Paper Name: Subject Name: Creation Date: Duration: Total Marks: Display Marks:	Introduction to Cyber Security 10th November 2019 Shift 1 Introduction to Cyber Security 2019-11-10 13:22:38 180 30 Yes
	Introduction to Cyber Security
Group Number :	1
Group Id :	709597307
Group Maximum Duration:	0
Group Minimum Duration :	120
Revisit allowed for view? :	No
Revisit allowed for edit?:	No
Break time:	0
Group Marks:	80
	Introduction to Cyber Security
Section Id:	709597394
Section Number :	1
Section type :	Online
Mandatory or Optional:	Mandatory
Number of Questions:	100
Number of Questions to be atten	
Section Marks:	80
Display Number Panel:	Yes
Group All Questions:	No
Sub-Section	fumber: 1
Sub-Section	1: 709597494
Question Sh	fling Allowed: Yes
Question Number: 1 Question Id: 709 Single Line Question Option: No Option Correct Marks: 0.8 Wrong Marks: 0	9728035 Question Type: MCQ Option Shuffling: No Display Question Number: Yes a Orientation: Vertical

1. IANA

- 2. ISO
- 3. APRANET

IP(Internet Protocol) address.

4. TCP

 $Question\ Number: 2\ Question\ Id: 70959728036\ Question\ Type: MCQ\ Option\ Shuffling: No\ Display\ Question\ Number: Yes\ Single\ Line\ Question\ Option: No\ Option\ Orientation: Vertical$

is responsible for assigning a unique number known as

Correct	Marks: 0.8 Wrong Marks: 0
	testing is a method of finding gaps in our Defenses in Each Layer
	ty by using some of the same methods an attacker would use in order to break in
	a tactic we might want to use at all layers of our defense.
	Top down
	Unit
3.	Block
4.	Penetration
Single Li	n Number : 3 Question Id : 70959728037 Question Type : MCQ Option Shuffling : No Display Question Number : Yes ine Question Option : No Option Orientation : Vertical Marks : 0.8 Wrong Marks : 0
A	hacker is someone outside computer security consulting firms who
is used	to bug-test a system prior to its launch, looking for exploits so they can be closed.
	White Hat
	Black Hat
	Grey hat
	Blue hat
Question	Number: 4 Question Id: 70959728038 Question Type: MCQ Option Shuffling: No Display Question Number: Yes
_	ine Question Option : No Option Orientation : Vertical Marks : 0.8 Wrong Marks : 0
	attack which proceeds with small increments and final add up to lead to a major
attack.	•
	Data Diddling
2.	
	Salami Attack
	Denial of Service Attack
Single Li	Number: 5 Question Id: 70959728039 Question Type: MCQ Option Shuffling: No Display Question Number: Yes ine Question Option: No Option Orientation: Vertical
	Marks: 0.8 Wrong Marks: 0 igital signature is created by encrypting the data with the key of the
sender	
	Public
	Private
	Super Candidate
٦.	Candidate
Single Li	n Number : 6 Question Id : 70959728040 Question Type : MCQ Option Shuffling : No Display Question Number : Yes ine Question Option : No Option Orientation : Vertical Marks : 0.8 Wrong Marks : 0
	are currently rootname servers.
	11
	12
	13
	20

Question Number : 7 Question Id : 70959728041 Question Type : MCQ Option Shuffling : No Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

It is a p	rocess of certifying the content of a document.
1.	Verification
2.	Validation
3.	Authorization
4.	Authentication
Question N Single Lin	Number: 8 Question Id: 70959728042 Question Type: MCQ Option Shuffling: No Display Question Number: Yes e Question Option: No Option Orientation: Vertical
Correct M	Iarks: 0.8 Wrong Marks: 0
	are weaknesses that can be used to harm us.
1. F	
	Threats
3. \	Vulnerabilities
4. I	mpacts
Single Lin Correct M	Number: 9 Question Id: 70959728043 Question Type: MCQ Option Shuffling: No Display Question Number: Yes the Question Option: No Option Orientation: Vertical Marks: 0.8 Wrong Marks: 0 is the property, that information is not made
	e or disclosed to unauthorized individuals, entities, or processes.
	Confidentiality
	Interoperability
	Transparency
4. <i>I</i>	Assurance
Single Lin	Number: 10 Question Id: 70959728044 Question Type: MCQ Option Shuffling: No Display Question Number: Yes e Question Option: No Option Orientation: Vertical Iarks: 0.8 Wrong Marks: 0
	to help us mitigate risk we can put measures in place to ensure that a
	ype of threat is accounted for. These measures are referred to as
	Subnet
2. 1	Mask
3. I	
	Controls
Question I Single Lin	Number: 11 Question Id: 70959728045 Question Type: MCQ Option Shuffling: No Display Question Number: Yes e Question Option: No Option Orientation: Vertical
	Iarks: 0.8 Wrong Marks: 0
	stands for:
	British Information and Telecommunication Network
	Berlin Information and Telecommunication Network
	Britannica Information and Telecommunication Network
4. E	Because It's Time Network
Single Lin	Number: 12 Question Id: 70959728046 Question Type: MCQ Option Shuffling: No Display Question Number: Yes e Question Option: No Option Orientation: Vertical Iarks: 0.8 Wrong Marks: 0
	s a
	archiver for FFT sites
2. N	Malicious Spyware
	Malfunctioning Software
4. V	-

Single L	n Number: 13 Question Id: 70959728047 Question Type: MCQ Option Shuffling: No Display Question Number: Yes ine Question Option: No Option Orientation: Vertical Marks: 0.8 Wrong Marks: 0
	EAD stands for
	Jon's Universal Group for History and Evolution of Digital-age
	Jonzy's Universal Gopher Hierarchy Excavation And Display
	Jim's Universal Group of Hardware Engineering Design
	None of the above
٦.	Trone of the above
Single L	n Number: 14 Question Id: 70959728048 Question Type: MCQ Option Shuffling: No Display Question Number: Yes ine Question Option: No Option Orientation: Vertical Marks: 0.8 Wrong Marks: 0
It is d	efined as the use of information technology to gain unauthorized access to computer
	ns or password-protected websites.
-	Cybertrespass
	Tresspassing
	Phishing
	Cloning
Single L	n Number : 15 Question Id : 70959728049 Question Type : MCQ Option Shuffling : No Display Question Number : Yes ine Question Option : No Option Orientation : Vertical Marks : 0.8 Wrong Marks : 0
	is a malicious code that is installed in the host machine by pretending
	seful software.
1.	Virus
2.	Trojan Horse
3.	Spam
4.	Scareware
Question Single L	n Number: 16 Question Id: 70959728050 Question Type: MCQ Option Shuffling: No Display Question Number: Yes ine Question Option: No Option Orientation: Vertical
0	Marks: 0.8 Wrong Marks: 0
IPv6 h	ave bits.
1.	32
2.	64
3.	128
	16
Question Single L	n Number: 17 Question Id: 70959728051 Question Type: MCQ Option Shuffling: No Display Question Number: Yes ine Question Option: No Option Orientation: Vertical
Correct	Marks: 0.8 Wrong Marks: 0
URL s	stands for?
1.	uniform resource locator
2.	unique reference label
3.	uniform reference label
4.	unique resource locator
	n Number: 18 Question Id: 70959728052 Question Type: MCQ Option Shuffling: No Display Question Number: Yes ine Question Option: No Option Orientation: Vertical

It is an activity which involves injecting a malicious client side script into a trusted website.

- Web-Jacking
- Computer Vandalism
- Spamming
- Cross Site Scripting

Question Number: 19 Question Id: 70959728053 Question Type: MCQ Option Shuffling: No Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Correct Marks: 0.8 Wrong Marks: 0

controls set out the rules for how we expect the users of our environment to

behave.

- 1. Administrative
- Logical
- Physical
- 4. Behavioral

Question Number : 20 Question Id : 70959728054 Question Type : MCQ Option Shuffling : No Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct Marks: 0.8 Wrong Marks: 0

Who created the first web browser?

- Tim Berners Lee
- 2. Jacobs Lan
- Marc Andeersen
- 4. Alen Turing

Question Number : 21 Question Id : 70959728055 Question Type : MCQ Option Shuffling : No Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct Marks: 0.8 Wrong Marks: 0

This is a techniques where every possible combination of letters, numbers and symbols in an attempt to guess the password.

- DOS Attack
- 2. DDOS Attack
- Brute-Force Attack
- Dictionary Attack

Question Number : 22 Question Id : 70959728056 Question Type : MCQ Option Shuffling : No Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct Marks: 0.8 Wrong Marks: 0

Which of the following is not a wireless security standard?

- WPA
- 802.11i
- Two fish
- 4. WEP

Question Number: 23 Question Id: 70959728057 Question Type: MCQ Option Shuffling: No Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Wana	to answer acqueity and the confidentiality of ave data
	Password to ensure security and the confidentiality of our data.
	Twofish Algorithm
	Web Jacking
4.	Subnet Mask
Single L	n Number : 24 Question Id : 70959728058 Question Type : MCQ Option Shuffling : No Display Question Number : Yes ine Question Option : No Option Orientation : Vertical
Correct	Marks: 0.8 Wrong Marks: 0
	encrypts all the different passwords that are saved with a master
-	ord, the only one you have to remember.
	Digi Locker
	Password Manager
	UPI account
4.	Rainbow Table
Question Single L	n Number: 25 Question Id: 70959728059 Question Type: MCQ Option Shuffling: No Display Question Number: Yes ine Question Option: No Option Orientation: Vertical
Correct	Marks: 0.8 Wrong Marks: 0
Α	is an operation that purchases services from another ISP, sometimes
called	a wholesale ISP in this context, which allow it's customers to access the Internet
using	services and infrastructure owned and operated by the wholesale ISP.
1.	Private ISP
2.	Virtual ISP
3.	Wireless ISP
4.	Transit ISP
Single L	n Number: 26 Question Id: 70959728060 Question Type: MCQ Option Shuffling: No Display Question Number: Yes ine Question Option: No Option Orientation: Vertical Marks: 0.8 Wrong Marks: 0
	ands for
	Public KeePass Information
	Password Key Infrastructure
	Public Key Infrastructure
	Password Key Information
Single L	n Number: 27 Question Id: 70959728061 Question Type: MCQ Option Shuffling: No Display Question Number: Yes ine Question Option: No Option Orientation: Vertical Marks: 0.8 Wrong Marks: 0
	ne an unknown device is used to sign into your Google account, the user has to
-	e a verification code in addition to the password. This is known as?
-	Password Manager
2.	_
3.	2-step verification system
	None of the above

 $Question\ Number: 28\ Question\ Id: 70959728062\ Question\ Type: MCQ\ Option\ Shuffling: No\ Display\ Question\ Number: Yes\ Single\ Line\ Question\ Option: No\ Option\ Orientation: Vertical$

Which	of the following is not a Wireless Operating Mode?	
1.	Monitor Mode	
2.	Ad-Hoc Mode	
3.	Access Point Infrastructure Mode	
4.	WEP Mode	
Single L	Number: 29 Question Id: 70959728063 Question Type: MCQ Option Shuffling: No Display Question Number: Yes ine Question Option: No Option Orientation: Vertical Marks: 0.8 Wrong Marks: 0	
It is a	process of tracking Wi-Fi hotspots located at a particular place, while moving with	
	held device or a laptop in a vehicle.	
	WPS	
2.	WPAv1	
3.	Clear text Challange	
4.	War driving	
Question	Number: 30 Question Id: 70959728064 Question Type: MCQ Option Shuffling: No Display Question Number: Yes ine Question Option: No Option Orientation: Vertical	
0	Marks: 0.8 Wrong Marks: 0	
	is short for	
	Wireless Fidelity	
2.	Wireless Function	
3.	Wireless Functioning	
4.	None of the above	
Single L Correct	n Number : 31 Question Id : 70959728065 Question Type : MCQ Option Shuffling : No Display Question Number : Yes ine Question Option : No Option Orientation : Vertical Marks : 0.8 Wrong Marks : 0	
	is a think-tank run by a not-for-profit organization which carries out	
	sions, awareness-raising and campaigns related to privacy on social networks.	
	Social Swarm	
	Diaspora	
	Crabgrass	
4.	Friendica	
Single L	n Number : 32 Question Id : 70959728066 Question Type : MCQ Option Shuffling : No Display Question Number : Yes ine Question Option : No Option Orientation : Vertical Marks : 0.8 Wrong Marks : 0	
	ault Windows enables , a feature where plugged in removable media	

By default Windows enables ______, a feature where plugged in removable media (like USB drives or devices) are examined and, based on their content, such as pictures,

music or video files, an appropriate application to play or display the content is launched.

- 1. Defender
- 2. AutoPlay
- 3. SmartScreen
- 4. None of the above

 $Question\ Number: 33\ Question\ Id: 70959728067\ Question\ Type: MCQ\ Option\ Shuffling: No\ Display\ Question\ Number: Yes\ Single\ Line\ Question\ Option: No\ Option\ Orientation: Vertical$

Crabg	rass service provided by
1.	Facebook
2.	Friendica
3.	RiseUp.Net
4.	Pidder
Single I Correct	n Number: 34 Question Id: 70959728068 Question Type: MCQ Option Shuffling: No Display Question Number: Yes ine Question Option: No Option Orientation: Vertical Marks: 0.8 Wrong Marks: 0
	ube is a service, owned by
	Facebook
	Microsoft
	Yahoo
4.	Google
Single I Correct	n Number : 35 Question Id : 70959728069 Question Type : MCQ Option Shuffling : No Display Question Number : Yes ine Question Option : No Option Orientation : Vertical Marks : 0.8 Wrong Marks : 0 is an alternative app center for Android that only distributes FOSS
	ations.
	F-Droid
	App Droid
	FOSS Droid
4.	Free Droid
Single I	n Number: 36 Question Id: 70959728070 Question Type: MCQ Option Shuffling: No Display Question Number: Yes Line Question Option: No Option Orientation: Vertical Marks: 0.8 Wrong Marks: 0
	occurs when a fraudster steals information and then poses as a genuine
iser to	do a transaction using the stolen e-wallet details and password.
1.	Impersonation
2.	Data Diddling
3.	Salami Attack
4.	None of the above
Single I	n Number: 37 Question Id: 70959728071 Question Type: MCQ Option Shuffling: No Display Question Number: Yes ine Question Option: No Option Orientation: Vertical Marks: 0.8 Wrong Marks: 0
Many	PC manufacturers include additional software with Windows when you purchase a
new c	omputer. These manufacturers are paid by the software vendors to include this
	are and the bundled software may not benefit and may even harm the interest of the
	are and the bundled software may not benefit and may even harm the interest of the mer. Such software is known as
	mer. Such software is known as
1. 2.	mer. Such software is known as Trojen Horse
1. 2.	mer. Such software is known as Trojen Horse Virus
1. 2. 3.	mer. Such software is known as Trojen Horse Virus Bloatware
1. 2. 3.	mer. Such software is known as Trojen Horse Virus

 $Question\ Number: 38\ Question\ Id: 70959728072\ Question\ Type: MCQ\ Option\ Shuffling: No\ Display\ Question\ Number: Yes\ Single\ Line\ Question\ Option: No\ Option\ Orientation: Vertical$

The Microsoft Windows operating system includes, which is designed to protect users from malware and phishing attacks by scanning URLs accessed by the user against a blacklist of websites containing known threats. 1. Defender 2. AutoPlay 3. SmartScreen 4. None of the above
Question Number : 39 Question Id : 70959728073 Question Type : MCQ Option Shuffling : No Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Correct Marks : 0.8 Wrong Marks : 0
Windowsis software designed to detect and remove malware and it is built
in Windows operating systems.
1. Defender
2. AutoPlay
3. SmartScreen
4. None of the above
Question Number: 40 Question Id: 70959728074 Question Type: MCQ Option Shuffling: No Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical Correct Marks: 0.8 Wrong Marks: 0
International Mobile Equipment Identity (IMEI) number contains digits.
1. 10
2. 12
3. 20
4. 15
Question Number: 41 Question Id: 70959728075 Question Type: MCQ Option Shuffling: No Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical Correct Marks: 0.8 Wrong Marks: 0
You can store most of your passphrases in a single, encrypted file on an Android device
by installing a FOSS tool called
1. KeePassDroid
2. OpenKeychain
3. Orweb
4. Orbot
Question Number: 42 Question Id: 70959728076 Question Type: MCQ Option Shuffling: No Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical Correct Marks: 0.8 Wrong Marks: 0
APK stands for:
1. Android Application Packets
2. Android Application Packages
3. Application Authentication Packages
4. Authentication Application Packages

Question Number: 43 Question Id: 70959728077 Question Type: MCQ Option Shuffling: No Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Access social networking sites using ______ to safeguard your username, password and other information you post.

- http
- https
- hptts
- None of the above

Question Number: 44 Question Id: 70959728078 Question Type: MCQ Option Shuffling: No Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Correct Marks: 0.8 Wrong Marks: 0

Identify the Android apps which require your phone to be rooted

- Spideroak
- Psiphon3
- CryptFS
- 4. Notecipher

Question Number: 45 Question Id: 70959728079 Question Type: MCQ Option Shuffling: No Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Correct Marks: 0.8 Wrong Marks: 0

It is a file synchronization tool that will allow you to easily share files between your computers and Android devices via an intermediary 3rd party server on the internet.

- 1. Psiphon3
- 2. Cerberus
- 3. Signal
- Spideroak

Question Number : 46 Question Id : 70959728080 Question Type : MCQ Option Shuffling : No Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct Marks: 0.8 Wrong Marks: 0

It is a free camera application for Android devices that has the ability to recognize and hide faces. It allows you to blur or delete the faces of those you photograph in order to protect their identities.

- KeePassDroid
- Obscuracam
- Orbot
- Orweb

Question Number: 47 Question Id: 70959728081 Question Type: MCQ Option Shuffling: No Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Correct Marks: 0.8 Wrong Marks: 0

It is the integrated intelligence grid developed by C-DAC-Pune connecting databases of core security agencies of the Government of India.

- National Intelligence Grid (Natgrid) project of India
- 2. National Critical Information Infrastructure Protection Centre (NCIPC) of India
- IUSCSF
- NISAP

Question Number: 48 Question Id: 70959728082 Question Type: MCQ Option Shuffling: No Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

It is a project under National e-Governance Plan(NeGP) covering all 28 States and 7 UTs which aims at creation of a nation-wide networking infrastructure for evolution of IT-enabled sophisticated tracking system around 'investigation of crime and detection of criminals.

- NATGRID
- 2. NCCC
- NCIPC
- CCTNS

Question Number : 49 Question Id : 70959728083 Question Type : MCQ Option Shuffling : No Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct Marks: 0.8 Wrong Marks: 0

It is a premier industry body on data protection in India, setup by NASSCOM, committed to making the cyberspace safe, secure and trusted by establishing best practices, standards and initiatives in cyber security and privacy.

- NATGRID
- 2. Botnet Clearing Center
- Data Security Council of India (DSCI)
- National Crime Records Bureau (NCRB)

Question Number: 50 Question Id: 70959728084 Question Type: MCQ Option Shuffling: No Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Correct Marks: 0.8 Wrong Marks: 0

_____ shall endeavour to empower Indian Police with Information Technology and Criminal Intelligence to enable them to effectively & efficiently enforce the law & improve public service delivery.

- NATGRID
- National Crime Records Bureau
- 3. National Cyber Coordination Centre
- Crime and Criminal Tracking Networks and Systems

Question Number: 51 Question Id: 70959728085 Question Type: MCQ Option Shuffling: No Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Correct Marks: 0.8 Wrong Marks: 0

_____ based exercises are focused on accessing the effectiveness of security plan, coordination and communication and Standard Operating Procedures (SOPs) of the participating organization

- Simulated attack
- 2. Hypothetical scenario
- Discussion
- Artifact

Question Number: 52 Question Id: 70959728086 Question Type: MCQ Option Shuffling: No Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Correct Marks: 0.8 Wrong Marks: 0

Most of the Android Smartphone will display its IMEI numbers on its screen if you dial

- 1. *#09#
- 2. *06#
- 3. *#006#
- 4. *#06#

Single Li	Number: 53 Question Id: 70959728087 Question Type: MCQ Option Shuffling: No Display Question Number: Yes ine Question Option: No Option Orientation: Vertical Marks: 0.8 Wrong Marks: 0
	such as the can be used for developing master inject list, trial-
	d exercise-management.
	MOSFET
2.	COSA
	EXITO
	CISSP
4.	
Single Li	Number: 54 Question Id: 70959728088 Question Type: MCQ Option Shuffling: No Display Question Number: Yes ine Question Option: No Option Orientation: Vertical Marks: 0.8 Wrong Marks: 0
	created a model framework for establishing and evaluating information
securits	(information assurance) programs, now known as The McCumber Cube
-	Albert McCumber
	John McCumber
	Palo Alto
4.	Mike McCumber
Single Li	Number: 55 Question Id: 70959728089 Question Type: MCQ Option Shuffling: No Display Question Number: Yes ine Question Option: No Option Orientation: Vertical Marks: 0.8 Wrong Marks: 0
	is created for rapid identification & response to security incidents and
inform	ation exchange is to reduce the risk of cyber threat and resultant effects.
1.	National Cyber Alert System
	NATGRID
3	National Criminal and Crime Control Center
	National Critical Infrastructure Cyber Security Center
••	Transmit officer infrastructure by our security content
Single Li	Number: 56 Question Id: 70959728090 Question Type: MCQ Option Shuffling: No Display Question Number: Yes ine Question Option: No Option Orientation: Vertical Marks: 0.8 Wrong Marks: 0
	gh technical procedures vary depending on the categorization and type of incident.
	cident must include the following six (6) phases: Preparation,, nment, Remediation, Resolution and Closure.
	Detection
	Penetration
	Reporting
4.	Recording
Single Li	Number: 57 Question Id: 70959728091 Question Type: MCQ Option Shuffling: No Display Question Number: Yes ine Question Option: No Option Orientation: Vertical Marks: 0.8 Wrong Marks: 0
	is where fraudsters try to gather user's credentials, either with
	of a malicious software or through phishing
1.	Pharming
2.	Phishing
	Cross Site Scripting
4.	Credential Stealing Attack

Question Single L	n Number : 58 Question Id : 70959728092 Question Type : MCQ Option Shuffling : No Display Question Number : Yes ine Question Option : No Option Orientation : Vertical
Correct	Marks: 0.8 Wrong Marks: 0
	means a person who has been granted a license to issue a Digital
_	ture Certificate under section 24.
1.	Digital Authority
2.	Government Authority
3.	Certifying Authority
4.	Pharming
Single L	n Number : 59 Question Id : 70959728093 Question Type : MCQ Option Shuffling : No Display Question Number : Yes ine Question Option : No Option Orientation : Vertical Marks : 0.8 Wrong Marks : 0
A/An	involves intercepting the communication between the client side and
the bar	nking server, by masquerading as the server to the client and vice versa.
1.	Advance Persistence Threat
2.	Channel Breaking Attack
3.	Credential Stealing Attack
4.	Pharming Attack
Single L Correct	n Number: 60 Question Id: 70959728094 Question Type: MCQ Option Shuffling: No Display Question Number: Yes ine Question Option: No Option Orientation: Vertical Marks: 0.8 Wrong Marks: 0 practiced to gain unrestricted or administrative access to the device's entire file
system	ı.
1.	Formatting
2.	Fragmentation
3.	Jailbreaking
4.	ICMP
Single L	n Number: 61 Question Id: 70959728095 Question Type: MCQ Option Shuffling: No Display Question Number: Yes ine Question Option: No Option Orientation: Vertical Marks: 0.8 Wrong Marks: 0 fraud happens when a criminal uses stolen or fake documents to open an
3000111	nt in someone else's name.
1.	
2.	Application
3.	••
3. 4	Pharming Man-in-the-Middle Attack
7.	Wall-III-tile-Widdle Attack
Question Single L	n Number: 62 Question Id: 70959728096 Question Type: MCQ Option Shuffling: No Display Question Number: Yes ine Question Option: No Option Orientation: Vertical
Correct	Marks: 0.8 Wrong Marks: 0
	is the theft of credit card / Debit card information. Thief can procure
victim'	s credit card number using basic methods such as photocopying receipts or more
advanc	ed methods such as using a small electronic device to swipe and store hundreds of
victim'	's credit card numbers.
1.	Pharming
2.	Phishing
3.	Vishing
4.	Skimming

Question Single L	n Number : 63 Question Id : 70959728097 Question Type : MCQ Option Shuffling : No Display Question Number : Yes Line Question Option : No Option Orientation : Vertical
_	Marks: 0.8 Wrong Marks: 0
	is the use of deception to manipulate individuals into divulging confidential
or pers	sonal information that may be used for fraudulent purposes.
1.	Vishing
2.	
3.	Social Engineering
4.	
Single L	n Number : 64 Question Id : 70959728098 Question Type : MCQ Option Shuffling : No Display Question Number : Yes ine Question Option : No Option Orientation : Vertical Marks : 0.8 Wrong Marks : 0
	ands for?
_	Unified Payment Interface
2.	Unidentified Payment Interchange
3.	
4.	United Payment Intersection
	n Number : 65 Question Id : 70959728099 Question Type : MCQ Option Shuffling : No Display Question Number : Yes ine Question Option : No Option Orientation : Vertical
	Marks: 0.8 Wrong Marks: 0
	d Payment Interface (UPI) is an initiative by
1.	
2.	ICMP
3.	National Payments Corporation of India
4.	IMPS
Single L	n Number: 66 Question Id: 70959728100 Question Type: MCQ Option Shuffling: No Display Question Number: Yes ine Question Option: No Option Orientation: Vertical
	Marks: 0.8 Wrong Marks: 0
for us	ing Unified Payment Interface, users need to create a MAC Address
2.	
3.	
3. 4.	Payment Gateway
Question	n Number: 67 Question Id: 70959728101 Question Type: MCQ Option Shuffling: No Display Question Number: Yes
Single L	ine Question Option : No Option Orientation : Vertical
	Marks: 0.8 Wrong Marks: 0 nds for?
1.	Personally Identifiable Instrument
2.	Personally Identifiable Information
3.	Portable Identifiable Information
4.	Professionally Identified Information
Single L	n Number: 68 Question Id: 70959728102 Question Type: MCQ Option Shuffling: No Display Question Number: Yes ine Question Option: No Option Orientation: Vertical Marks: 0.8 Wrong Marks: 0

POS stands for?	
1. Person of Sales	
2. Point of Service	
3. Point of Sales	
4. None of the given options	
Question Number: 69 Question Id: 70959728103 Question Type: MCQ Option Shuffling: No Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical	
Correct Marks : 0.8 Wrong Marks : 0	
Which of the following is NOT a valid mean of authentication for interoperable	
transactions?	
1. Aadhaar + Biometric	
2. Magnetic strip card + Bank PIN	
3. Magnetic strip card + OTP	
4. Aadhaar + Bank Pin	
Question Number: 70 Question Id: 70959728104 Question Type: MCQ Option Shuffling: No Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical Correct Marks: 0.8 Wrong Marks: 0	
data of the magnetic stripe contains information such as the credit card number and expiration date.	
1. Track 1	
2. Track 2	
3. Track 3	
4. Track 4	
Question Number: 71 Question Id: 70959728105 Question Type: MCQ Option Shuffling: No Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical Correct Marks: 0.8 Wrong Marks: 0	
The is a small device that scans a credit/debit card and stores the	
information contained in the magnetic strip.	
1. Skimmer	
2. Skipper	
3 WP Δ	

WPA2

 $Question\ Number: 72\ Question\ Id: 70959728106\ Question\ Type: MCQ\ Option\ Shuffling: No\ Display\ Question\ Number: Yes\ Single\ Line\ Question\ Option: No\ Option\ Orientation: Vertical$

Correct Marks: 0.8 Wrong Marks: 0

is software or firmware that enforces a set of rules In computing, a/an about what data packets will be allowed to enter or leave a network.

- 1. Switch
- HASP lock
- 3. Antivirus
- 4. Firewall

Question Number: 73 Question Id: 70959728107 Question Type: MCQ Option Shuffling: No Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

An _____ attack is one in which an adversary successfully assumes the identity of one of the legitimate parties in a system or in a communications protocol.

- Phishing
- Impersonation
- Vishing
- Pharming

Question Number : 74 Question Id : 70959728108 Question Type : MCQ Option Shuffling : No Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct Marks: 0.8 Wrong Marks: 0

Which of the following transaction types is NOT supported by the micro ATM?

- Deposit
- 2. Withdrawal
- Fund Transfer
- 4. PIN Change

Question Number: 75 Question Id: 70959728109 Question Type: MCQ Option Shuffling: No Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Correct Marks: 0.8 Wrong Marks: 0

In this type of physical social engineering, the attacker acts like someone else to trap the victim.

- Piggybacking
- 2. Eavesdropping
- Dumpster Driving
- 4. Impersonation

Question Number: 76 Question Id: 70959728110 Question Type: MCQ Option Shuffling: No Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Correct Marks: 0.8 Wrong Marks: 0

In these types of physical social engineering, attacker can gain information by hearing a discussion between two people, or by reading emails and listening to telephonic conversation.

- Piggybacking
- Eavesdropping
- Dumpster Driving
- Impersonation

Question Number: 77 Question Id: 70959728111 Question Type: MCQ Option Shuffling: No Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Correct Marks: 0.8 Wrong Marks: 0

In this type of physical social engineering, the attacker creates a scenario where the victim ends up asking for information to the attacker and in this process ends up providing the required information to the attacker.

- Reverse Social Engineering
- Mumble Attack
- Diversion Theft
- Road Apple Baiting

 $Question\ Number: 78\ Question\ Id: 70959728112\ Question\ Type: MCQ\ Option\ Shuffling: No\ Display\ Question\ Number: Yes\ Single\ Line\ Question\ Option: No\ Option\ Orientation: Vertical$

The scam typically involves promising the victim a significant share of a large sum of
money, which the fraudster requires a small up-front payment to obtain.
1. Phishing
2. Nigerian 419 scam
3. Boy Who Cries Wolf Attack
4. Mumble attack
Question Number: 79 Question Id: 70959728113 Question Type: MCQ Option Shuffling: No Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical Correct Marks: 0.8 Wrong Marks: 0
In this type of social engineering attack, the social engineer poses as a speech-impaired
customer or as a person calling on behalf of the speech-impaired customer. Victims of the
attack are often made to feel awkward or embarrassed and release information as a result.
1. Impersonation
2. Piggybacking
3. Eavesdropping
4. Mumble attack
Question Number: 80 Question Id: 70959728114 Question Type: MCQ Option Shuffling: No Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical Correct Marks: 0.8 Wrong Marks: 0 Apart from CCleaner, is an excellent temporary file removal and shredder
tool compatible with GNU Linux and Microsoft Windows.
1. Phedora
2. BleachBit
3. CamStudio
4. Rantac
Question Number: 81 Question Id: 70959728115 Question Type: MCQ Option Shuffling: No Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical Correct Marks: 0.8 Wrong Marks: 0
Very Complex Overwrite option in the CCleaner performs passes.
1. 31
2. 7
3. 3
4. 100
Question Number: 82 Question Id: 70959728116 Question Type: MCQ Option Shuffling: No Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical Correct Marks: 0.8 Wrong Marks: 0
The social engineering attack life cycle have phases.
1. 6
2. 5
3. 4
4. 7

 $Question\ Number: 83\ Question\ Id: 70959728117\ Question\ Type: MCQ\ Option\ Shuffling: No\ Display\ Question\ Number: Yes\ Single\ Line\ Question\ Option: No\ Option\ Orientation: Vertical$

The decoding of the complex code to original text using key is known as	
1. decryption	
2. encryption	
3. steganography	
4. digital signature	
Question Number: 84 Question Id: 70959728118 Question Type: MCQ Option Shuffling: No Display Question Single Line Question Option: No Option Orientation: Vertical	Number : Yes
Correct Marks: 0.8 Wrong Marks: 0	
is a process of identifying an individual and ensuring that the individual	
is the same who he/she claims to be.	
1. Authentication	
2. Authorization	
Privilege Access	
4. Access Control	
Question Number: 85 Question Id: 70959728119 Question Type: MCQ Option Shuffling: No Display Question Single Line Question Option: No Option Orientation: Vertical	Number : Yes
Correct Marks: 0.8 Wrong Marks: 0	
OTP stands for?	
1. One Time Password	
Open Telephony Password	
3. One Time Passcode	
4. Once Telephony Passcode	
Question Number: 86 Question Id: 70959728120 Question Type: MCQ Option Shuffling: No Display Question	Number • Ves
Single Line Question Option : No Option Orientation : Vertical	Trainiser 1 Tes
Correct Marks: 0.8 Wrong Marks: 0	
Internet was originally the project of	
1. NSF	
2. ARPA	
3. NFS	
4. ISO	
Question Number: 87 Question Id: 70959728121 Question Type: MCQ Option Shuffling: No Display Question	Number : Yes
Single Line Question Option : No Option Orientation : Vertical Correct Marks : 0.8 Wrong Marks : 0	
VPN stands for?	
Visual Private Network	
Virtual Personal Network Visual Personal Network	
4. Virtual Private Network	
Question Number: 88 Question Id: 70959728122 Question Type: MCQ Option Shuffling: No Display Question Single Line Question Option: No Option Orientation: Vertical Correct Marks: 0.8 Wrong Marks: 0	Number : Yes

It is a technique of hiding secret messages in a document file, image file, and program or protocol etc. such that the embedded message is invisible and can be retrieved using special software.

- Digital Signature
- Encryption
- Validation
- Steganography

Question Number: 89 Question Id: 70959728123 Question Type: MCQ Option Shuffling: No Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Correct Marks: 0.8 Wrong Marks: 0

If you are concerned about your device getting lost or stolen, you can also set up your

Apple device so that it can be erased remotely, using the following feature.

- 1. Find My iPhone
- 2. Trace My iPhone
- 3. Erase My iPhone
- Swipe My iPhone

Question Number : 90 Question Id : 70959728124 Question Type : MCQ Option Shuffling : No Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct Marks: 0.8 Wrong Marks: 0

In an Android phone, you can set the following utility you can automatically lock your phone after a specified time.

- 1. Device Encryption
- Security Lock Timer
- APG
- KeePassDriod

Question Number: 91 Question Id: 70959728125 Question Type: MCQ Option Shuffling: No Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Correct Marks: 0.8 Wrong Marks: 0

It is a process of identifying an individual and ensuring that the individual is the same who he/she claims to be.

- Authentication
- 2. Authorization
- Availability
- 4. Access Control

Question Number: 92 Question Id: 70959728126 Question Type: MCQ Option Shuffling: No Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Correct Marks: 0.8 Wrong Marks: 0

refers to the ability to access our data when we need it.

- 1. Authentication
- Authorization
- 3. Availability
- 4. Access Control

Question Number: 93 Question Id: 70959728127 Question Type: MCQ Option Shuffling: No Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

This class of IPs in IPv4 is reserved for future use, or research and development
purposes.
1. Class A
2. Class B
3. Class D
4. Class E
Question Number: 94 Question Id: 70959728128 Question Type: MCQ Option Shuffling: No Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical Correct Marks: 0.8 Wrong Marks: 0
At times the government itself is involved in cyber trespassing to keep eye on other
person/network/country. What is this known as?
1. Validation
2. Cyber Espionage
3. Encryption
4. Steganography
Question Number: 95 Question Id: 70959728129 Question Type: MCQ Option Shuffling: No Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical Correct Marks: 0.8 Wrong Marks: 0
DARPA stands for
Defense Advanced Research Projects Agency
2. Defense Applications Research Projects Agency
3. Defense Applications Research Program Agency
4. Digital Applications Research Program Agency
Question Number: 96 Question Id: 70959728130 Question Type: MCQ Option Shuffling: No Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
Correct Marks: 0.8 Wrong Marks: 0
DNS converts the names typed in the Web browser address bar into
1. MAC Address
2. IP Address
3. Domain Name
4. None of the above
Question Number: 97 Question Id: 70959728131 Question Type: MCQ Option Shuffling: No Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical Correct Marks: 0.8 Wrong Marks: 0
is a practice of changing the data before its entry into the

 $Question\ Number: 98\ Question\ Id: 70959728132\ Question\ Type: MCQ\ Option\ Shuffling: No\ Display\ Question\ Number: Yes\ Single\ Line\ Question\ Option: No\ Option\ Orientation: Vertical$

computer system.

Data Spoofing
 Data Diddling
 Denial of Service
 Salami Attack

If the same key is used to lock and unlock the data, it is known as
encryption.
1. Super Key
2. Primary Key
3. Symmetric key
4. Asymmetric key
Question Number: 99 Question Id: 70959728133 Question Type: MCQ Option Shuffling: No Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
Correct Marks: 0.8 Wrong Marks: 0
Asymmetric key encryption is also known as encryption.
1. Public key
2. Private key
3. Super Key
4. Candidate Key
Question Number: 100 Question Id: 70959728134 Question Type: MCQ Option Shuffling: No Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
Correct Marks: 0.8 Wrong Marks: 0
is a text-based browser.
1. Firefox
2. Opera
3. Flock
4. Elinks