

National Testing Agency

Question Paper Name: Introduction to Poultry Farming 10th November 2019 Shift 2
Subject Name: Introduction to Poultry Farming
Creation Date: 2019-11-10 18:07:01
Duration: 180
Total Marks: 100
Display Marks: Yes

Introduction to Poultry Farming

Group Number : 1
Group Id : 709597323
Group Maximum Duration : 0
Group Minimum Duration : 120
Revisit allowed for view? : No
Revisit allowed for edit? : No
Break time: 0
Group Marks: 100

Introduction to Poultry Farming

Section Id : 709597412
Section Number : 1
Section type : Online
Mandatory or Optional: Mandatory
Number of Questions: 100
Number of Questions to be attempted: 100
Section Marks: 100
Display Number Panel: Yes
Group All Questions: No

Sub-Section Number: 1
Sub-Section Id: 709597516
Question Shuffling Allowed : Yes

Question Number : 1 Question Id : 70959729497 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

Poultry refers to only Chicken.

1) True

2) False

Question Number : 2 Question Id : 70959729498 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

Birds reared only for egg purpose are called _____.

- | | |
|-------------|-------------|
| 1) Breeders | 2) Broilers |
| 3) Croilers | 4) Layers |

Question Number : 3 Question Id : 70959729499 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

India is now the world's _____ largest egg producer.

- | | |
|-----------|----------|
| 1) second | 2) third |
| 3) fourth | 4) fifth |

Question Number : 4 Question Id : 70959729500 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

India's contribution to world's chicken meat production is nearly _____ %.

- | | |
|------|------|
| 1) 2 | 2) 4 |
| 3) 6 | 4) 8 |

Question Number : 5 Question Id : 70959729501 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

Hybrid layers of today, lay on an average of 210-220 eggs per year compared to 140-200 eggs
30 years back.

- | | |
|---------|----------|
| 1) True | 2) False |
|---------|----------|

Question Number : 6 Question Id : 70959729502 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

Now-a-days, birds in commercial poultry farms are fed with compounded feed.

- | | |
|---------|----------|
| 1) True | 2) False |
|---------|----------|

Question Number : 7 Question Id : 70959729503 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

The commercial stocks, whether broilers or layers, normally are taken up with ____ chicks.

- | | |
|---------------|--------------|
| 1) 10-day old | 2) 7-day old |
| 3) 4-day old | 4) 1-day old |

Question Number : 8 Question Id : 70959729504 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

About 90% of broiler sales at retail outlets are as _____.

- | | |
|-------------------------------|-------------------------|
| 1) live birds | 2) freshly cut broiler |
| 3) processed poultry products | 4) value added products |

Question Number : 9 Question Id : 70959729505 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

The demand for processed chicken meat is projected to grow between ____% per year.

- | | |
|-------------|-------------|
| 1) 3 to 4 | 2) 6 to 9 |
| 3) 10 to 15 | 4) 15 to 20 |

Question Number : 10 Question Id : 70959729506 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

_____ limit large scale adoption of the controlled-environment poultry barn model in India.

- | | |
|-----------------------|----------------------------|
| 1) High capital costs | 2) Unreliable Power Supply |
| 3) Both a and b | 4) Neither a nor b |

Question Number : 11 Question Id : 70959729507 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

Sexual Maturity is the duration (number of days) between the date of hatch and the date of first egg laid or date of ____% egg production as the case may be.

- | | |
|------|------|
| 1) 3 | 2) 5 |
| 3) 7 | 4) 9 |

Question Number : 12 Question Id : 70959729508 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

_____ feeding is a labour saving system under which poultry help themselves and eat as much as they wish.

- | | |
|----------------------|---------------|
| 1) <i>Ad libitum</i> | 2) Controlled |
| 3) Phase | 4) Restricted |

Question Number : 13 Question Id : 70959729509 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

Candling is the process of visual examination of an intact egg against a light emerging through an aperture (opening) to determine the interior quality, shell soundness or stage of embryonic development.

- | | |
|---------|----------|
| 1) True | 2) False |
|---------|----------|

Question Number : 14 Question Id : 70959729510 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

The deep litter system is _____ expensive when compared to cage house system.

- | | |
|------------|---------|
| 1) more | 2) most |
| 3) equally | 4) less |

Question Number : 15 Question Id : 70959729511 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

_____ is a ratio expressed in terms of kg feed consumed by the bird divided by kg body weight gain in case of broiler and kg egg weight or dozen eggs laid in case of layers.

- | | |
|--------------------------|--------------------------|
| 1) Benefit-Cost Ratio | 2) Feed Conversion Ratio |
| 3) Feed Efficiency Ratio | 4) All of them |

Question Number : 16 Question Id : 70959729512 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

Poultry is a cold-blooded vertebrate; which means that their body temperature is relatively high.

- | | |
|---------|----------|
| 1) True | 2) False |
|---------|----------|

Question Number : 17 Question Id : 70959729513 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

Feathers help birds in providing insulation from extremes of temperature (heat and cold).

- | | |
|---------|----------|
| 1) True | 2) False |
|---------|----------|

Question Number : 18 Question Id : 70959729514 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

_____ are two red pendulous muscles on either side of the eye or near the beak.

- | | |
|--------------|----------|
| 1) Eye rings | 2) Comb |
| 3) Wattles | 4) Shank |

Question Number : 19 Question Id : 70959729515 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

Only the left ovary is functional in the hen.

- | | |
|---------|----------|
| 1) True | 2) False |
|---------|----------|

Question Number : 20 Question Id : 70959729516 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

Albumen (White portion of egg) is secreted in _____.

- | | |
|-----------------|-----------|
| 1) Infundibulum | 2) Magnum |
| 3) Isthmus | 4) Uterus |

Question Number : 21 Question Id : 70959729517 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

Poultry Farming is suitable for _____.

- | | |
|------------------------------|----------------|
| 1) landless/marginal farmers | 2) students |
| 3) women | 4) All of them |

Question Number : 22 Question Id : 70959729518 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

Poultry farming requires minimum investment when reared on a small scale.

- 1) True 2) False

Question Number : 23 Question Id : 70959729519 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

In _____ farming system, the birds are left free outside and provided house or shelter only during night.

- 1) Intensive 2) Semi-intensive
3) Extensive 4) Semi-extensive

Question Number : 24 Question Id : 70959729520 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

Commercially, _____ in India are popularly being reared under Deep litter system.

- 1) Layers 2) Broilers
3) Emu 4) None of them

Question Number : 25 Question Id : 70959729521 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

Most of the layers are grown in cages all over the world.

- 1) True 2) False

Question Number : 26 Question Id : 70959729522 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

The per capita availability of eggs in India was _____ per annum during 2015-16.

- 1) 20 2) 40
3) 60 4) 80

Question Number : 27 Question Id : 70959729523 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

Only 40% of employment in the poultry sector is generated directly by farmers.

- 1) True 2) False

Question Number : 28 Question Id : 70959729524 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

Project Directorate of Poultry (PDP) is located in _____.

- 1) Bareilly 2) Bangalore
3) Hyderabad 4) Mumbai

Question Number : 29 Question Id : 70959729525 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

In Poultry Venture Capital Fund, _____ per cent of the total investment will be borne by the borrower.

- | | |
|-------|-------|
| 1) 10 | 2) 20 |
| 3) 30 | 4) 40 |

Question Number : 30 Question Id : 70959729526 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

_____ fixes the price of egg.

- | | |
|------------|---------|
| 1) BROMARK | 2) NECC |
| 3) BCC | 4) PFI |

Question Number : 31 Question Id : 70959729527 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

_____ occupy second place to chicken in production of eggs in the country.

- | | |
|----------------|-----------|
| 1) Duck | 2) Quail |
| 3) Guinea Fowl | 4) Turkey |

Question Number : 32 Question Id : 70959729528 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

The Turkey oil is a natural product and has been used for the treatment of muscular and arthritic pain.

- | | |
|---------|----------|
| 1) True | 2) False |
|---------|----------|

Question Number : 33 Question Id : 70959729529 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

_____ meat contains very less fat as compared to meat of other avian species.

- | | |
|----------------|-----------|
| 1) Duck | 2) Quail |
| 3) Guinea Fowl | 4) Turkey |

Question Number : 34 Question Id : 70959729530 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

BV-300 is a _____ bird/variety.

- | | |
|-----------------|----------------|
| 1) Broiler | 2) Layer |
| 3) Dual purpose | 4) All of them |

Question Number : 35 Question Id : 70959729531 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

Geese have the ability to digest 40-50 % crude fibre.

- | | |
|---------|----------|
| 1) True | 2) False |
|---------|----------|

Question Number : 36 Question Id : 70959729532 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

In true sense, the backyard poultry rearing consists of _____ birds per household.

- | | |
|----------|----------|
| 1) 1-2 | 2) 5-10 |
| 3) 20-25 | 4) 40-45 |

Question Number : 37 Question Id : 70959729533 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

Giriraja and Swarnadhara varieties were developed by Karnataka Veterinary, Animal and
Fishery Sciences University, Bangalore.

- | | |
|---------|----------|
| 1) True | 2) False |
|---------|----------|

Question Number : 38 Question Id : 70959729534 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

In the backyard system of rearing, provision of _____ will improve their
productivity.

- | | |
|-----------------------|----------------|
| 1) Supplementary Feed | 2) Water |
| 3) Night Shelter | 4) All of them |

Question Number : 39 Question Id : 70959729535 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

In backyard poultry farming, most of the farmers keep their birds in pucca house.

- | | |
|---------|----------|
| 1) True | 2) False |
|---------|----------|

Question Number : 40 Question Id : 70959729536 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

Each broiler bird requires a minimum of _____ sq. ft. area.

- | | |
|------|------|
| 1) 1 | 2) 2 |
| 3) 3 | 4) 4 |

Question Number : 41 Question Id : 70959729537 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

Chicks need additional heat during the first _____ weeks of their life.

- | | |
|------|------|
| 1) 1 | 2) 2 |
| 3) 3 | 4) 4 |

Question Number : 42 Question Id : 70959729538 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

Length of brooding period does not depend on outside temperature.

- | | |
|---------|----------|
| 1) True | 2) False |
|---------|----------|

Question Number : 43 Question Id : 70959729539 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

_____ brooder is an inverted umbrella made of galvanized iron or bamboo basket of 2 to 3 feet diameter with 3 to 4 bulb holders having bulbs for heating and lighting.

- | | |
|--------------|----------------|
| 1) Canopy | 2) Infrared |
| 3) Reflector | 4) Ultraviolet |

Question Number : 44 Question Id : 70959729540 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

The area where heat is provided by the brooder is referred to as _____.

- | | |
|------------------|------------------|
| 1) Brooding area | 2) Run space |
| 3) Feeding area | 4) Watering area |

Question Number : 45 Question Id : 70959729541 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

Generally, in case of canopy brooding, the run space will be approximately _____ to that of brooding area in areas of cold weather.

- | | |
|----------|-----------|
| 1) Half | 2) Thrice |
| 3) Twice | 4) Equal |

Question Number : 46 Question Id : 70959729542 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

In small broiler farm, we can use _____ drinker for broiler chicks of 1 to 2 weeks of age.

- | | |
|-------------|----------------|
| 1) Fountain | 2) Linear |
| 3) Bell | 4) All of them |

Question Number : 47 Question Id : 70959729543 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

In a large commercial broiler farm, _____ watering system is suitable.

- | | |
|-------------|----------------|
| 1) Bell | 2) Nipple |
| 3) Fountain | 4) All of them |

Question Number : 48 Question Id : 70959729544 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

It is a good practice to dip the beaks of the newly hatched chicks in water and leave them into the brooder area.

- | | |
|---------|----------|
| 1) True | 2) False |
|---------|----------|

Question Number : 49 Question Id : 70959729545 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

At 14-16 days of age, _____ vaccine is administered to broiler birds.

- | | |
|------------------------------|----------------------|
| 1) Marek's Disease | 2) Ranikhet Disease |
| 3) Infectious Bursal Disease | 4) Newcastle Disease |

Question Number : 50 Question Id : 70959729546 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

Broiler birds consumes water @ twice the quantity of the feed consumed.

- | | |
|---------|----------|
| 1) True | 2) False |
|---------|----------|

Question Number : 51 Question Id : 70959729547 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

Layers are reared for _____ months.

- | | |
|-------|-------|
| 1) 6 | 2) 12 |
| 3) 18 | 4) 24 |

Question Number : 52 Question Id : 70959729548 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

_____ is a system of housing poultry made up of steel and welded wire netting in horizontal, stepped or vertical configuration usually in two or three tiers.

- | | |
|-----------------------|----------------|
| 1) Deep Litter System | 2) Cage System |
| 3) Slate System | 4) All of them |

Question Number : 53 Question Id : 70959729549 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

The orientation of the broiler house should be North-South for proper and functional ventilation.

- | | |
|---------|----------|
| 1) True | 2) False |
|---------|----------|

Question Number : 54 Question Id : 70959729550 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

Besides nutritive value of table eggs, industrial uses of eggs are also important for making adhesives, paints, shampoos and vaccines.

- | | |
|---------|----------|
| 1) True | 2) False |
|---------|----------|

Question Number : 55 Question Id : 70959729551 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

Commercial layer farming means production of only table eggs.

- | | |
|---------|----------|
| 1) True | 2) False |
|---------|----------|

Question Number : 56 Question Id : 70959729552 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

Native breeds of Duck can lay about _____ eggs in a year.

- | | |
|------------|------------|
| 1) 50-60 | 2) 90-100 |
| 3) 130-140 | 4) 160-180 |

Question Number : 57 Question Id : 70959729553 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

Ducks are reared for _____.

- | | |
|-----------------------|--------------------------|
| 1) Eggs | 2) Meat |
| 3) Both Eggs and Meat | 4) Neither Eggs nor Meat |

Question Number : 58 Question Id : 70959729554 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

Muscovy is a common Egg type duck breed reared in India.

- | | |
|---------|----------|
| 1) True | 2) False |
|---------|----------|

Question Number : 59 Question Id : 70959729555 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

The FCR in meat-type ducks is around _____.

- | | |
|--------|--------|
| 1) 1.0 | 2) 2.0 |
| 3) 3.0 | 4) 4.0 |

Question Number : 60 Question Id : 70959729556 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

Duck rearing does not require elaborate housing like poultry.

- | | |
|---------|----------|
| 1) True | 2) False |
|---------|----------|

Question Number : 61 Question Id : 70959729557 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

In quails, at 8 weeks of age, female birds weigh less than the male birds.

- | | |
|---------|----------|
| 1) True | 2) False |
|---------|----------|

Question Number : 62 Question Id : 70959729558 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

Battery brooders are used for rearing quails up to _____ weeks of age.

- | | |
|------|------|
| 1) 1 | 2) 2 |
| 3) 3 | 4) 4 |

Question Number : 63 Question Id : 70959729559 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

In Quails, from three weeks up to 5th week of age, birds are known as growers.

- | | |
|---------|----------|
| 1) True | 2) False |
|---------|----------|

Question Number : 64 Question Id : 70959729560 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

Japanese quails mature by _____ weeks of age.

- | | |
|------|-------|
| 1) 3 | 2) 5 |
| 3) 8 | 4) 12 |

Question Number : 65 Question Id : 70959729561 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

In Quails, eggs have to be collected at least _____ a day.

- | | |
|-----------|-----------------|
| 1) Once | 2) Twice |
| 3) Thrice | 4) None of them |

Question Number : 66 Question Id : 70959729562 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

Turkey have combs and wattles.

- | | |
|---------|----------|
| 1) True | 2) False |
|---------|----------|

Question Number : 67 Question Id : 70959729563 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

Due to their large size, turkeys are invariably reared on floor; either completely inside a house on deep-litter or on semi-intensive system.

- | | |
|---------|----------|
| 1) True | 2) False |
|---------|----------|

Question Number : 68 Question Id : 70959729564 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

Eating less feed and drinking less water are signs of sick or unthrifty birds.

- | | |
|---------|----------|
| 1) True | 2) False |
|---------|----------|

Question Number : 69 Question Id : 70959729565 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

Incubation period of Turkey Egg is _____ days.

- | | |
|-------|-------|
| 1) 21 | 2) 28 |
| 3) 35 | 4) 42 |

Question Number : 70 Question Id : 70959729566 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

Turkey young ones are referred to as _____.

- | | |
|-----------|-----------|
| 1) Colts | 2) Tom |
| 3) Chicks | 4) Poults |

Question Number : 71 Question Id : 70959729567 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

Culling of the breeders is less frequent than layers.

- 1) True 2) False

Question Number : 72 Question Id : 70959729568 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

Adult breeders are usually kept on the _____.

- 1) floor 2) cages
3) brooders 4) All of them

Question Number : 73 Question Id : 70959729569 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

At any stage, the breeder flock must be having at least _____ per cent uniformity.

- 1) 20 2) 40
3) 60 4) 80

Question Number : 74 Question Id : 70959729570 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

_____ has direct effect on the productive and reproductive performances of the breeder flock and is considered as the most important single factor influencing the fertility and hatchability of hatching eggs.

- 1) Feed 2) Health care
3) Shelter 4) Management

Question Number : 75 Question Id : 70959729571 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

To achieve maximum fertility in hatching eggs, maintain at least _____ per cent males in case of natural mating.

- 1) 2 2) 4
3) 8 4) 12

Question Number : 76 Question Id : 70959729572 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

Duck-cum-fish farming is the most common mixed farming system.

- 1) True 2) False

Question Number : 77 Question Id : 70959729573 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

_____ are considered as live manuring machines of the fish ponds.

- | | |
|----------------|-----------|
| 1) Chicken | 2) Turkey |
| 3) Guinea Fowl | 4) Duck |

Question Number : 78 Question Id : 70959729574 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

Birds which differ either in comb shape or plumage colour or both is referred to as _____.

- | | |
|-----------|------------|
| 1) Breed | 2) Species |
| 3) Strain | 4) Variety |

Question Number : 79 Question Id : 70959729575 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

Birds belonging to American class of chicken lays _____ coloured eggs.

- | | |
|----------|-----------|
| 1) White | 2) Black |
| 3) Brown | 4) Yellow |

Question Number : 80 Question Id : 70959729576 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

Muscovy ducks have the same incubation period as the other breeds of duck.

- | | |
|---------|----------|
| 1) True | 2) False |
|---------|----------|

Question Number : 81 Question Id : 70959729577 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

Khaki Campbell duck lays _____ eggs per bird per year.

- | | |
|-------------|------------|
| 1) 110-120 | 2) 160-180 |
| 3) 280 -300 | 4) 300-320 |

Question Number : 82 Question Id : 70959729578 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

In _____ system, a single male is segregated with a group of females in a pen during the breeding season.

- | | |
|----------------------------|-----------------|
| 1) Pen mating | 2) Stud mating |
| 3) Artificial Insemination | 4) Flock Mating |

Question Number : 83 Question Id : 70959729579 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

Insemination of chicken must be done during the _____ hours.

- | | |
|------------------|----------|
| 1) Early morning | 2) Noon |
| 3) Afternoon | 4) Night |

Question Number : 84 Question Id : 70959729580 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

_____ refers to the identification and removal of the non-laying or low producing hens from a laying flock.

- | | |
|-------------|----------------|
| 1) Candling | 2) Culling |
| 3) Judging | 4) All of them |

Question Number : 85 Question Id : 70959729581 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

Culling at _____ is recommended, since the birds are less likely to be frightened and reduce egg production.

- | | |
|------------------|----------|
| 1) Early morning | 2) Noon |
| 3) Afternoon | 4) Night |

Question Number : 86 Question Id : 70959729582 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

Birds of low vigour and slow maturing should be culled during the growing period itself before they are shifted to the layer house.

- | | |
|---------|----------|
| 1) True | 2) False |
|---------|----------|

Question Number : 87 Question Id : 70959729583 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

_____ are the pullet which have started laying but are producing fewer than expected number of eggs.

- | | |
|----------------|----------------|
| 1) Non-layers | 2) Good layers |
| 3) Poor layers | 4) All of them |

Question Number : 88 Question Id : 70959729584 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

The distance between tip of the breast bone and pubic bones is at least _____ fingers in good layers.

- | | |
|------|------|
| 1) 1 | 2) 2 |
| 3) 3 | 4) 4 |

Question Number : 89 Question Id : 70959729585 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

Early moulters are generally the better laying hens and late moulters are generally poor layers.

- | | |
|---------|----------|
| 1) True | 2) False |
|---------|----------|

Question Number : 90 Question Id : 70959729586 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

In moulting, the feathers are lost from the _____ first.

- | | |
|-----------|----------|
| 1) Head | 2) Tail |
| 3) Breast | 4) Wings |

Question Number : 91 Question Id : 70959729587 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

Judging of birds is carried out on the basis of _____.

- | | |
|-----------------------------|----------------|
| 1) general appearance | 2) grace |
| 3) body characters of birds | 4) All of them |

Question Number : 92 Question Id : 70959729588 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

Comb is large, red and warm in _____.

- | | |
|----------------|----------------|
| 1) Non-layers | 2) Good layers |
| 3) Poor layers | 4) All of them |

Question Number : 93 Question Id : 70959729589 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

Beak, shin, vent, shank and eye-ring are brightly coloured in good layers.

- | | |
|---------|----------|
| 1) True | 2) False |
|---------|----------|

Question Number : 94 Question Id : 70959729590 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

Broad Breasted Bronze is a _____ breed.

- | | |
|------------|-----------|
| 1) Chicken | 2) Duck |
| 3) Quail | 4) Turkey |

Question Number : 95 Question Id : 70959729591 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

Marketing of branded eggs fetches _____ money when compared to the unbranded or ordinary products.

- | | |
|---------|-------------------|
| 1) Less | 2) Same amount of |
| 3) More | 4) All of them |

Question Number : 96 Question Id : 70959729592 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

In large poultry farms, hanging type feeders and waterers are used.

- | | |
|---------|----------|
| 1) True | 2) False |
|---------|----------|

Question Number : 97 Question Id : 70959729593 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

Regular _____ of the entire flock will help in preventing occurrence of many viral and bacterial diseases.

- | | |
|----------------|----------------|
| 1) Deworming | 2) Quarantine |
| 3) Vaccination | 4) All of them |

Question Number : 98 Question Id : 70959729594 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

Downtime is the period of time between two batches when the house is depopulated, disinfected, kept closed and empty.

- | | |
|---------|----------|
| 1) True | 2) False |
|---------|----------|

Question Number : 99 Question Id : 70959729595 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

_____ is an enclosed area where birds are housed.

- | | |
|-------------|--------------|
| 1) Flock | 2) Trap Nest |
| 3) Nest Box | 4) Pen |

Question Number : 100 Question Id : 70959729596 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

Hatchery produces disease free chicks for supplying to the poultry farms.

- | | |
|---------|----------|
| 1) True | 2) False |
|---------|----------|