

National Testing Agency

Question Paper Name: Textile Study 10th November 2019 Shift 1
Subject Name: Textile Study
Creation Date: 2019-11-10 13:22:39
Duration: 180
Total Marks: 100
Display Marks: Yes

Textile Study

Group Number : 1
Group Id : 709597304
Group Maximum Duration : 0
Group Minimum Duration : 120
Revisit allowed for view? : No
Revisit allowed for edit? : No
Break time: 0
Group Marks: 100

Textile Study

Section Id : 709597391
Section Number : 1
Section type : Online
Mandatory or Optional: Mandatory
Number of Questions: 100
Number of Questions to be attempted: 100
Section Marks: 100
Display Number Panel: Yes
Group All Questions: No

Sub-Section Number: 1
Sub-Section Id: 709597491
Question Shuffling Allowed : Yes

Question Number : 1 Question Id : 70959727735 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

Which of the following fabrics wrinkle very easily when in use?

- a. Nylon
- b. Wool
- c. Polyester
- d. Rayon

Question Number : 2 Question Id : 70959727736 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

A fibre manufacturing process in which the solvent evaporates after the solution is extruded through a spinneret is known as

- a. Dry spinning
- b. Melt spinning
- c. Wet spinning
- d. Mechanical spinning

Question Number : 3 Question Id : 70959727737 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

This is developed when a fabric rubs against itself or some other object

- a. Flame
- b. Drape
- c. Static electricity
- d. Oxidization

Question Number : 4 Question Id : 70959727738 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

Rayon fibre is composed of

- a. Regenerated protein
- b. Regenerated cellulose
- c. Regenerated casein
- d. Regenerated silk

Question Number : 5 Question Id : 70959727739 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

The ability of the fibre to repel water is termed as

- a. Hydrophilic
- b. Hygroscopic
- c. Oleophobic
- d. Hydrophobic

Question Number : 6 Question Id : 70959727740 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

Delustering agent used in the manufacture of manmade fibers

- a. Calcium Hydroxide
- b. Titanium dioxide
- c. Magnesium sulphate
- d. Caustic soda

Question Number : 7 Question Id : 70959727741 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

The bean shaped cross section of Cotton fibre contributes to

- a. Absorption
- b. Wrinkle resistance
- c. Sensorial comfort
- d. Chemical resistance

Question Number : 8 Question Id : 70959727742 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

Wool fibre is susceptible to damage by moths due to the presence of

- a. Hydroxyl groups
- b. Cystine linkages
- c. Carbonyl groups
- d. Carboxyl groups

Question Number : 9 Question Id : 70959727743 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

The solvent used for identification of polyester is

- a. Acetone
- b. H_2SO_4
- c. Metacresol
- d. HCl

Question Number : 10 Question Id : 70959727744 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

Silk sarees and fabrics are valued based on the

- a. Weight
- b. Colour
- c. Texture
- d. Design

Question Number : 11 Question Id : 70959727745 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

When moisture is transferred along the fiber's surface, it is termed as

- a. Feltability
- b. Flexibility
- c. Specific gravity
- d. Wicking

Question Number : 12 Question Id : 70959727746 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

The term used for wool fiber shorn for the first time from the animal is

- a. Pulled wool
- b. Dead wool
- c. Virgin wool
- d. Cotty wool

Question Number : 13 Question Id : 70959727747 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

Abrasion resistance is lowest in these categories of fibres

- a. Synthetics
- b. Natural
- c. Cellulosics
- d. Man made cellulosic

Question Number : 14 Question Id : 70959727748 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

Which of the following fibre is popularly known as 'White Gold'?

- a. Silk
- b. Jute
- c. Cotton
- d. Wool

Question Number : 15 Question Id : 70959727749 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

Pick up a thermoplastic fibre from the following

- a. Polyester
- b. Cotton
- c. Linen
- d. Jute

Question Number : 16 Question Id : 70959727750 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

Which class of fibres are stronger?

- a. Natural Cellulosic
- b. Protein
- c. Mineral
- d. Synthetic

Question Number : 17 Question Id : 70959727751 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

These fabrics are known for quality Home textiles

- a. Cotton fabrics
- b. Nylon fabrics
- c. Linen fabrics
- d. Rayon fabrics

Question Number : 18 Question Id : 70959727752 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

The density of Acrylic fibre is

- a. 1.25
- b. 1.16
- c. 1.34
- d. 1.51

Question Number : 19 Question Id : 70959727753 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

A Small percentage of this fibre in a fabric makes it elastic

- a. Nylon
- b. Acrylic
- c. Spandex
- d. Acetate

Question Number : 20 Question Id : 70959727754 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

The uniqueness of Nylon fibre is due to

- a. Heat resistance
- b. High strength
- c. Sunlight resistance
- d. Good absorbency

Question Number : 21 Question Id : 70959727755 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

In Nylon 6 or Nylon 6.6 the number 6 represents

- a. The hydroxyl groups
- b. Carbon atoms
- c. Oxygen molecules
- d. Nitrogen groups

Question Number : 22 Question Id : 70959727756 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

The presence of this structure in fibre contributes to high strength

- a. Amorphous structure
- b. Orientated structure
- c. Crystalline structure
- d. Crystalline and oriented structures

Question Number : 23 Question Id : 70959727757 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

In which level of twisting operation, a ply yarn is obtained?

- a. First
- b. Second
- c. Third
- d. Fourth

Question Number : 24 Question Id : 70959727758 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

A preparatory treatment that smoothens and evens a fabric surface is

- a. Scouring
- b. Beetling
- c. Brushing
- d. Singeing

Question Number : 25 Question Id : 70959727759 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

When three or more yarns are plaited, the resultant construction is

- a. Plait
- b. Braid
- c. Net
- d. Mesh

Question Number : 26 Question Id : 70959727760 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

A direct and globally accepted yarn numbering system is

- a. Cotton System
- b. Woolen System
- c. Fixed weight System
- d. Tex System

Question Number : 27 Question Id : 70959727761 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

A device on the loom made of steel wire or string through which warp yarns are passed from warp beam to cloth beam

- a. Heddles
- b. Reed
- c. Shaft
- d. Dent

Question Number : 28 Question Id : 70959727762 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

Parchmentization is a finish given to this fabric

- a. Wool
- b. Silk
- c. Polyester
- d. Cotton

Question Number : 29 Question Id : 70959727763 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

Most of the yarns have one of this type of standard twist

- a. 'S'
- b. 'Z'
- c. 'T'
- d. 'Y'

Question Number : 30 Question Id : 70959727764 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

Which of the following is a novelty yarn?

- a. Ply Yarn
- b. Spun yarn
- c. Boucle yarn
- d. Combed yarn

Question Number : 31 Question Id : 70959727765 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

The crinkled texture created in crepe fabric is due to the presence of

- a. Highly twisted yarns
- b. Medium twist yarns
- c. Low twist yarns
- d. Filament tow

Question Number : 32 Question Id : 70959727766 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

This type of printing is ideal for knitted fabrics

- a. Block printing
- b. Stencil printing
- c. Screen printing
- d. Spray printing

Question Number : 33 Question Id : 70959727767 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

Filling yarn is always placed inside this, on the loom for interlacement to take place

- a. Shed
- b. Creel
- c. Cop
- d. Swift

Question Number : 34 Question Id : 70959727768 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

An unbalanced plain weave with warp yarn count about twice that of filling yarns is

- a. Twill
- b. Rib
- c. Basket
- d. Broken basket

Question Number : 35 Question Id : 70959727769 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

A row of loop in a knitted fabric that is comparable to filling yarn of woven fabric is

- a. Woof
- b. Course
- c. Wale
- d. Stitch

Question Number : 36 Question Id : 70959727770 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

Combing is an operation done for cotton to

- a. Remove all short fibers
- b. Remove dry leaves and dirt
- c. Introduce twist
- d. Form a lap

Question Number : 37 Question Id : 70959727771 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

Fused selvages are commonly seen in fabrics made from

- a. Cotton
- b. Wool
- c. Polyester
- d. Silk

Question Number : 38 Question Id : 70959727772 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

A weave that requires three harnesses and the interlacement is designated by a fraction is

- a. Plain
- b. Satin
- c. Twill
- d. Rib

Question Number : 39 Question Id : 70959727773 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

A twill weave fabric containing coloured yarns used for coats and suits

- a. Tweed
- b. Voile
- c. Poplin
- d. Cambric

Question Number : 40 Question Id : 70959727774 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

In textile design, the most common method of producing structural design is through

- a. Weaving
- b. Printing
- c. Embossing
- d. Embroidery

Question Number : 41 Question Id : 70959727775 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

The type of Loom in which tension on warp is created by using the weaver's back and stretching it

- a. Back strap loom
- b. Hip strap loom
- c. Vertical loom
- d. Treadle loom

Question Number : 42 Question Id : 70959727776 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

The number of interlacements are more in

- a. Basket Weave
- b. Twill Weave
- c. Plain Weave
- d. Satin Weave

Question Number : 43 Question Id : 70959727777 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

The type of knitting needles that are generally employed for production of coarse fabrics is

- a. Spring beard needles
- b. Couple needles with hooks
- c. Wooden needles
- d. Latch needles

Question Number : 44 Question Id : 70959727778 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

The pattern derived from intersection of circles is termed as

- a. All over pattern
- b. Brick pattern
- c. Ogee pattern
- d. Diaper pattern

Question Number : 45 Question Id : 70959727779 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

The dye that tenders cotton fabric on storage is

- a. Sulphur
- b. Basic
- c. Acid
- d. Vat

Question Number : 46 Question Id : 70959727780 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

One of the following is a yarn dyeing method

- a. Stock dyeing
- b. Package dyeing
- c. Jig dyeing
- d. Winch dyeing

Question Number : 47 Question Id : 70959727781 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

Design printed back to back on both sides of fabric and gives effect of woven pattern is seen in

- a. Stencil printing
- b. Flat screen printing
- c. Rotary screen printing
- d. Duplex printing

Question Number : 48 Question Id : 70959727782 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

When a textile motif is repeated around a point it is said to have undergone

- a. Rotation
- b. Reflection
- c. Translation
- d. Transformation

Question Number : 49 Question Id : 70959727783 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

'Stripping' is a process in dyeing that is generally carried out to

- a. Add dye as topping colour
- b. Remove finishing agent from material
- c. Add dyes in the form of stripe on the material
- d. Remove dye from material

Question Number : 50 Question Id : 70959727784 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

A fabric with all over blended colour effect is produced by

- a. Yarn dyeing and blending
- b. Fibre dyeing and blending
- c. Ombre dyeing and blending
- d. Jet dyeing and blending

Question Number : 51 Question Id : 70959727785 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

When warp in one colour and weft in different colour is used in weaving, the resultant fabric is said to have

- a. Cool effect
- b. Check effect
- c. Stripe effect
- d. Shot effect

Question Number : 52 Question Id : 70959727786 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

The material liquor ratio in a dye bath is calculated based on the

- a. Weight of the material to be dyed
- b. Strength of the material to be dyed
- c. Colour required
- d. Weave present

Question Number : 53 Question Id : 70959727787 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

A type of printing in which entire cloth is piece dyed with a dark colour before the fabric is printed

- a. Roller
- b. Screen
- c. Discharge
- d. Duplex

Question Number : 54 Question Id : 70959727788 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

The electrolyte that is used in direct dyes to control the absorption rate of dye by the fibre is

- a. Sodium hydroxide
- b. Sulphuric acid
- c. Sodium Chloride
- d. Hydrose

Question Number : 55 Question Id : 70959727789 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

The portion of the dye molecule responsible for water solubility is

- a. Auxochrome
- b. Chromophore
- c. Hydroxyl group
- d. Carbonyl Group

Question Number : 56 Question Id : 70959727790 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

In this method of dyeing, dye is added to the spinning solution before extrusion of fiber

- a. Winch dyeing
- b. Dope dyeing
- c. Jig dyeing
- d. Space dyeing

Question Number : 57 Question Id : 70959727791 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

Heat should be avoided for these stains of this origin

- a. Beck dyeing
- b. Jet dyeing
- c. Pad dyeing
- d. Jig dyeing

Question Number : 58 Question Id : 70959727792 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

A printing method in which the fabrics are printed with a paste to prevent the absorption of the dye and dyed in darker shade

- a. Block printing
- b. Discharge
- c. Printing None
- d. Resist printing

Question Number : 59 Question Id : 70959727793 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

Diazotization occurs while dyeing with this class of dyes

- a. Naphthol
- b. Azoic
- c. Vat
- d. Basic

Question Number : 60 Question Id : 70959727794 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

Transfer printing process requires

- a. Printing paste
- b. Cold temperature
- c. Printed paper
- d. Water

Question Number : 61 Question Id : 70959727795 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

An open mesh fabric with geometrical shapes is

- a. Quilts
- b. Nets
- c. Knits
- d. Lace

Question Number : 62 Question Id : 70959727796 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

The person who invented flying shuttle in 1733 is

- a. Mary Kay
- b. John Robert
- c. John Kay
- d. John Albert

Question Number : 63 Question Id : 70959727797 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

The quantitative expression of any given weave is

- a. Weave repeat
- b. Weave design
- c. Weave pattern
- d. Weave plan

Question Number : 64 Question Id : 70959727798 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

Pick one surface figured weave from the following

- a. Pile weave
- b. Twill weave
- c. Satin weave
- d. Lappet weave

Question Number : 65 Question Id : 70959727799 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

A non-durable weave that usually suffers from seam slippage is

- a. Plain
- b. Twill
- c. Rib
- d. Satin

Question Number : 66 Question Id : 70959727800 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

Double jersey knitted fabrics with vertical rows of loop is produced by this stitch

- a. Purl stitch
- b. Rib stitch
- c. Interlocking stitch
- d. Single jersey stitch

Question Number : 67 Question Id : 70959727801 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

A dense non-woven fabric, without any warp and weft is

- a. Velvet
- b. Terry pile
- c. Felt
- d. Velveteen

Question Number : 68 Question Id : 70959727802 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

What is a peg plan?

- a. Process of inserting warp threads or ends through the dents of reed
- b. Selection of healds to be raised during weaving
- c. The interlacement plan
- d. Th plan representing drawing of warp through dents

Question Number : 69 Question Id : 70959727803 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

What are the essential finishes given to good quality cotton goods

- a. Desizing and Sanforization
- b. Mercerization and Napping
- c. Flame retardancy and soil release
- d. Sanforization and Mercerization

Question Number : 70 Question Id : 70959727804 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

Majority of the durable press garments are made of

- a. Cotton polyester blends
- b. Cotton, rayon and polyester blends
- c. Polyester and wool blends
- d. Cotton and silk blends

Question Number : 71 Question Id : 70959727805 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

The handspun and handwoven fabrics are referred as

- a. Handloom fabrics
- b. Khadi fabrics
- c. Handwoven fabrics
- d. Hand spun fabrics

Question Number : 72 Question Id : 70959727806 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

Heat should be avoided for stains of this origin

- a. Grease
- b. Vegetable
- c. Mineral
- d. Protein

Question Number : 73 Question Id : 70959727807 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

A solvent that removes nail polish, paint and varnish stains on fabrics is

- a. Acetone
- b. Borax
- c. Oxalic acid
- d. Ammonia

Question Number : 74 Question Id : 70959727808 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

A peculiar noise made by silk fabrics on handling is technically called

- a. Scooping
- b. Crackling
- c. Garmaker
- d. Scrooping

Question Number : 75 Question Id : 70959727809 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

Any wash care symbol with a double bar under the symbol, represents

- a. Treatment not permitted
- b. Very mild treatment
- c. Mild treatment
- d. Temperature of treatment

Question Number : 76 Question Id : 70959727810 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

Detergents are derived from

- a. Fats
- b. Petrochemicals
- c. Oils
- d. Alkali

Question Number : 77 Question Id : 70959727811 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

The other name of soaps and detergents is

- a. Dissolvent
- b. Solvents
- c. Surfactants
- d. Disinfectants

Question Number : 78 Question Id : 70959727812 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

A natural alternate to soap is

- a. Reeta nuts
- b. Peanuts
- c. Coir
- d. Brick powder

Question Number : 79 Question Id : 70959727813 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

The active cleaning agent in soap-nut is

- a. Saponin
- b. Curcumin
- c. Avidin
- d. Metafin

Question Number : 80 Question Id : 70959727814 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

The bleaches which help to remove any stain or yellowing, specially, when dried under sunlight are known as

- a. Optical brighteners
- b. Photo active bleaches
- c. Chelating agents
- d. Hydrothropses

Question Number : 81 Question Id : 70959727815 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

The term used to represent the killing or removing of all kinds of microbes from the surface of fabric is

- a. Detergency
- b. Disinfectant
- c. Saponification
- d. Chelatinizing

Question Number : 82 Question Id : 70959727816 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

The modern method employed for softening of hard water is

- a. Washing soda method
- b. Boiling method
- c. Clarks method
- d. Ion-exchange method

Question Number : 83 Question Id : 70959727817 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

Vinyl and acrylic falls under this classification of stiffening agents

- a. Natural
- b. Modified natural
- c. Synthetic
- d. Mineral

Question Number : 84 Question Id : 70959727818 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

The process of reaction of starch granules to hot water is called

- a. Calcinization
- b. Starchinization
- c. Gelatinization
- d. Oxidization

Question Number : 85 Question Id : 70959727819 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

The method of finishing used in commercial laundries is

- a. Mangling
- b. Damping
- c. Ironing
- d. Calendering

Question Number : 86 Question Id : 70959727820 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

The technique used to remove turmeric stain is

- a. Dab the mark with methylated spirit, then rub & rinse
- b. Soak stain with methylated spirit
- c. Sponge stains with borax and pour hot water through the fabric
- d. Soak in hot soapy water and dry in the sun

Question Number : 87 Question Id : 70959727821 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

The symbols on care labels were standardized throughout the country by

- a. Bureau of Indian Standards
- b. American standard association
- c. Bureau of International standards
- d. Indian standard association

Question Number : 88 Question Id : 70959727822 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

Which is the fastest method of shuttleless weaving?

- a. Rapier
- b. Airjet
- c. Waterjet
- d. Projectile

Question Number : 89 Question Id : 70959727823 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

Calculate the regain of warp yarn measuring 27 cms which is drawn from a fabric measuring 25 cms.

- a. 10%
- b. 12%
- c. 8%
- d. 6%

Question Number : 90 Question Id : 70959727824 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

By applying simple weaves to simple orders of colouring the effects produced are

- a. Bird's eye and spot effects
- b. Hairline Effect
- c. Continuous effects
- d. Hound's tooth pattern

Question Number : 91 Question Id : 70959727825 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

Good quality mosquito nets are produced in

- a. Mock leno weave
- b. Leno weave
- c. Pique weave
- d. Bed ford cord weave

Question Number : 92 Question Id : 70959727826 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

The most common mordant used for printing with natural dyes is

- a. Ferrous sulphate
- b. Stannous chloride
- c. Potassium Dichromate
- d. Potassium Aluminium Sulphate

Question Number : 93 Question Id : 70959727827 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

Unlimited design sizes are possible to be printed on fabrics with

- a. Rotary Screen printing
- b. Roller printing
- c. Fabric Digital printing
- d. Automatic screen printing

Question Number : 94 Question Id : 70959727828 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

The technical textile application of textile reinforced cement is classified under

- a. Protech
- b. Biotech
- c. Build tech
- d. Cloth tech

Question Number : 95 Question Id : 70959727829 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

One of the following materials when woven or printed on fabric in encapsulated form makes it a smart textile.

- a. Special dyes & chemicals
- b. Change emboss material
- c. Natural materials
- d. Phase change materials

Question Number : 96 Question Id : 70959727830 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

Run is a fabric fault that deals with

- a. Woven fabric
- b. Knitted fabrics
- c. Felt fabrics
- d. Lace fabric

Question Number : 97 Question Id : 70959727831 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

Which of the fabrics mostly require dry cleaning most?

- a. Worsted suit
- b. Cotton blanket
- c. Linen sheet
- d. Polyester curtain

Question Number : 98 Question Id : 70959727832 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

to check fabric defects, the most frequently used system is

- a. 10- point system
- b. 8 -point system
- c. 4- point system
- d. Philadelphia system

Question Number : 99 Question Id : 70959727833 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

Natural pigment present in flower dyes is

- a. Anthocyanin
- b. Anthraquinoid
- c. Indigoid
- d. Tannin

Question Number : 100 Question Id : 70959727834 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

l. Select a fabric suitable for eveningwear

- a. Cambric
- b. Organdy
- c. Poplin
- d. Chiffon