## **National Testing Agency**

**Question Paper Name:** Database Management System 09th November 2019 Shift 1

Subject Name: Database Management System

**Creation Date:** 2019-11-09 18:35:15

Duration:180Total Marks:100Display Marks:Yes

## Database Management System

Group Number:

**Group Id:** 7077563

Group Maximum Duration:

Group Minimum Duration:

Revisit allowed for view?:

No
Revisit allowed for edit?:

No
Break time:

0
Group Marks:

## Database Management System

**Section Id:** 7077564

Section Number :1Section type :OnlineMandatory or Optional:Mandatory

Number of Questions:100Number of Questions to be attempted:100Section Marks:100Display Number Panel:YesGroup All Questions:No

Sub-Section Number: 1

**Sub-Section Id:** 7077564 **Question Shuffling Allowed:** Yes

Question Number: 1 Question Id: 707756231 Question Type: MCQ Option Shuffling: No Display Question Number: Yes Single

Line Question Option: No Option Orientation: Vertical

Correct Marks: 1 Wrong Marks: 0

What represent a correspondence between the various data elements?

- a) data
- b) constraints
- c) relationships
- d) schema

Question Number: 2 Question Id: 707756232 Question Type: MCQ Option Shuffling: No Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical  Correct Marks: 1 Wrong Marks: 0  Following is the type of metadata
a) operational
b) EDW
c) data mart
d) all of these
Question Number: 3 Question Id: 707756233 Question Type: MCQ Option Shuffling: No Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical Correct Marks: 1 Wrong Marks: 0
What schema defines how and where data are organized in physical data storage?
a) external
b) internal
c) conceptual
d) none of these
Question Number: 4 Question Id: 707756234 Question Type: MCQ Option Shuffling: No Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical Correct Marks: 1 Wrong Marks: 0  Which of the following is an object oriented feature
a) inheritance
b) abstraction
c) polymorphism
d) all of these
Question Number: 5 Question Id: 707756235 Question Type: MCQ Option Shuffling: No Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical Correct Marks: 1 Wrong Marks: 0
Which of the following is direct access processing method?
a) relative addressing
b) indexing
c) hashing
d) all of these
Question Number: 6 Question Id: 707756236 Question Type: MCQ Option Shuffling: No Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical Correct Marks: 1 Wrong Marks: 0

What is the degree of table with 5000 rows and 50 columns?
a) 50
b) 500
c) 5000
d) none of these
Question Number: 7 Question Id: 707756237 Question Type: MCQ Option Shuffling: No Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical Correct Marks: 1 Wrong Marks: 0
A table can have only one
a) primary key
b) alternative key
c) candidate key
d) all of these
Question Number: 8 Question Id: 707756238 Question Type: MCQ Option Shuffling: No Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical  Correct Marks: 1 Wrong Marks: 0
What is RDBMS for set of legal values that attribute can have
a) tuple
b) relation
c) attribute
d) domain
Question Number: 9 Question Id: 707756239 Question Type: MCQ Option Shuffling: No Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical  Correct Marks: 1 Wrong Marks: 0
An association among three entities is called
a)binary relation
b)ternary relation
c)recursive relation
d)none of these
Question Number: 10 Question Id: 707756240 Question Type: MCQ Option Shuffling: No Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical Correct Marks: 1 Wrong Marks: 0

a)many -to-many relation between 2 sets of attributes
b) one -to-one relation between 2 sets of attributes
c) many -to-one relation between 2 sets of attributes
d) none
Question Number : 11 Question Id : 707756241 Question Type : MCQ Option Shuffling : No Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical  Correct Marks : 1 Wrong Marks : 0  The union operation automatically unlike the select clause.  a) Adds tuples b) Eliminates unique tuples c) Adds common tuples d) Eliminates duplicate
Question Number : 12 Question Id : 707756242 Question Type : MCQ Option Shuffling : No Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical  Correct Marks : 1 Wrong Marks : 0  joins are SQL server default  a) Outer  b) Inner  c) Equi  d) None of the mentioned
Question Number: 13 Question Id: 707756243 Question Type: MCQ Option Shuffling: No Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical  Correct Marks: 1 Wrong Marks: 0  Using the clause retains only one copy of such identical tuples.  a) Null  b) Unique  c) Not null  d) Distinct
Question Number : 14 Question Id : 707756244 Question Type : MCQ Option Shuffling : No Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical  Correct Marks : 1 Wrong Marks : 0  The phrase "greater than at least one" is represented in SQL by  a) < all b) < some c) > all d) > some
Question Number: 15 Question Id: 707756245 Question Type: MCQ Option Shuffling: No Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

A functional dependency is a

Which of the following creates a temporary relation for the query on which it is defined?

a) With

- b) From
- 0,110111
- c) Where
- d) Select

Question Number: 16 Question Id: 707756246 Question Type: MCQ Option Shuffling: No Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Correct Marks: 1 Wrong Marks: 0

How can you find rows that do not match some specified condition?

- a) EXISTS
- b) Double use of NOT EXISTS
- c) NOT EXISTS
- d) None of the mentioned

Question Number: 17 Question Id: 707756247 Question Type: MCQ Option Shuffling: No Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Correct Marks: 1 Wrong Marks: 0

What type of join is needed when you wish to include rows that do not have matching

values?

- a) Equi-join
- b) Natural join
- c) Outer join
- d) All of the mentioned

Question Number: 18 Question Id: 707756248 Question Type: MCQ Option Shuffling: No Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Correct Marks: 1 Wrong Marks: 0

Triggers are supported in

- a) Delete
- b) Update
- c) Views
- d) All of the mentioned

Question Number: 19 Question Id: 707756249 Question Type: MCQ Option Shuffling: No Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Correct Marks: 1 Wrong Marks: 0

The variables in the triggers are declared using

- a) –
- b) @.
- c) /
- d) /@

Question Number : 20 Question Id : 707756250 Question Type : MCQ Option Shuffling : No Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct Marks: 1 Wrong Marks: 0

Ranking of queries is done by which of the following?

- a) Group by
- b) Order by
- c) Having
- d) Both Group by and Order by

Question Number : 21 Question Id : 707756251 Question Type : MCQ Option Shuffling : No Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0			
For select operation the appear in the subscript and the argument appears in the paranthesis after the sigma.  a) Predicates, relation b) Relation, Predicates			
c) Operation, Predicates d) Relation, Operation			
Question Number: 22 Question Id: 707756252 Question Type: MCQ Option Shuffling: No Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical Correct Marks: 1 Wrong Marks: 0			
Which is a unary operation:  a) Selection operation  b) Primitive operation  c) Projection operation  d) Generalized selection			
Question Number: 23 Question Id: 707756253 Question Type: MCQ Option Shuffling: No Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical Correct Marks: 1 Wrong Marks: 0			
Which of the following symbol is used in the place of except?			
a) ^			
b) V			
c) ¬			
d) ~			
Question Number: 24 Question Id: 707756254 Question Type: MCQ Option Shuffling: No Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical			
Correct Marks: 1 Wrong Marks: 0 The descriptive property possessed by each entity set is			
a) Entity			
b) Attribute			
c) Relation			
d) Model			
Question Number: 25 Question Id: 707756255 Question Type: MCQ Option Shuffling: No Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical Correct Marks: 1 Wrong Marks: 0			
Which of the following can be a multivalued attribute?			
a) Phone_number			
b) Name			
c) Date_of_birth			
d) All of the mentioned			
Question Number : 26 Question Id : 707756256 Question Type : MCQ Option Shuffling : No Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical			

An entity in A is associated with at most one entity in B, and an entity in B is associated with at most one entity in A.This is called as

- a) One-to-many
- b) One-to-one
- c) Many-to-many
- d) Many-to-one

Question Number : 27 Question Id : 707756257 Question Type : MCQ Option Shuffling : No Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct Marks: 1 Wrong Marks: 0

Data integrity constraints are used to:

- a) Control who is allowed access to the data
- b) Ensure that duplicate records are not entered into the table
- c) Improve the quality of data entered for a specific property
- d) Prevent users from changing the values stored in the table

Question Number: 28 Question Id: 707756258 Question Type: MCQ Option Shuffling: No Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Correct Marks: 1 Wrong Marks: 0

Drop Table cannot be used to drop a table referenced by a \_\_\_\_\_ constraint.

- a) Local Key
- b) Primary Key
- c) Composite Key
- d) Foreign Key

Question Number : 29 Question Id : 707756259 Question Type : MCQ Option Shuffling : No Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct Marks: 1 Wrong Marks: 0

The Rectangles divided into two parts represents

- a) Entity set
- b) Relationship set
- c) Attributes of a relationship set
- d) Primary key

Question Number : 30 Question Id : 707756260 Question Type : MCQ Option Shuffling : No Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct Marks: 1 Wrong Marks: 0

We can use the following three rules to find logically implied functional dependencies.

This collection of rules is called

- a) Axioms
- b) Armstrong's axioms
- c) Armstrong
- d) Closure

Question Number: 31 Question Id: 707756261 Question Type: MCQ Option Shuffling: No Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Correct Marks: 1 Wrong Marks: 0

The normal form which satisfies multivalued dependencies and which is in BCNF is

- a) 4 NF
- b) 3 NF
- c) 2 NF
- d) All of the mentioned

Question Number : 32 Question Id : 707756262 Question Type : MCQ Option Shuffling : No Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical
Correct Marks : 1 Wrong Marks : 0
Which forms has a relation that possesses data about an individual entity?
a) 2NF
b) 3NF
c) 4NF
d) 5NF
Question Number : 33 Question Id : 707756263 Question Type : MCQ Option Shuffling : No Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical
Correct Marks: 1 Wrong Marks: 0
If a multivalued dependency holds and is not implied by the corresponding functional
dependency, it usually arises from one of the following sources.
a) A many-to-many relationship set
b) A multivalued attribute of an entity set
c) A one-to-many relationship set
d) Both A many-to-many relationship set and A multivalued attribute of an entity set
Question Number : 34 Question Id : 707756264 Question Type : MCQ Option Shuffling : No Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0
The is the fastest and most costly form of storage, which is relatively small;
its use is managed by the computer system hardware.
a) Cache
b) Disk
c) Main memory
d) Flash memory
Question Number: 35 Question Id: 707756265 Question Type: MCQ Option Shuffling: No Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
Correct Marks: 1 Wrong Marks: 0
The flash memory storage used are
a) NOR Flash
b) OR Flash
c) AND Flash d) All of the mentioned
Question Number : 36 Question Id : 707756266 Question Type : MCQ Option Shuffling : No Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical
Correct Marks: 1 Wrong Marks: 0
Tape storage is referred to as storage.
a) Direct-access
b) Random-access
c) Sequential-access
d) All of the mentioned
Question Number: 37 Question Id: 707756267 Question Type: MCQ Option Shuffling: No Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical Correct Marks: 1 Wrong Marks: 0

Α	is the smallest unit of information that can be read from or written to the
disk.	
a) Track	
b) Spindle	
c) Sector	
d) Platter	
Question Number	r: 38 Question Id: 707756268 Question Type: MCQ Option Shuffling: No Display Question Number: Yes tion Option: No Option Orientation: Vertical
	1 Wrong Marks : 0
	d has reached the desired track, the time spent waiting for the sector to be
	ppear under the head is called the
a) Access tim	··-
b) Average se	
c) Seek time	
d) Rotational	atency time
ingle Line Ques	r: 39 Question Id: 707756269 Question Type: MCQ Option Shuffling: No Display Question Number: Yes tion Option: No Option Orientation: Vertical
	1 Wrong Marks: 0
	of RAID refers to disk mirroring with block striping?
a) RAID level	
b) RAID level	
c) RAID level	
d) RAID level	
Question Number ingle Line Oues	r: 40 Question Id: 707756270 Question Type: MCQ Option Shuffling: No Display Question Number: Yes tion Option: No Option Orientation: Vertical
0	1 Wrong Marks : 0
	el which mirroring is done along with stripping is
a) RAID 1+0	
b) RAID 0	
c) RAID 2	
•	1+0 and RAID 0
ingle Line Ques	r: 41 Question Id: 707756271 Question Type: MCQ Option Shuffling: No Display Question Number: Yes tion Option: No Option Orientation: Vertical 1 Wrong Marks: 0
	is popular for applications such as storage of log files in a database
system since	e it offers the best write performance.
a) RAID leve	·
b) RAID leve	
c) RAID leve	
d) RAID leve	
•	
Ouestion Number	r: 42 Question Id: 707756272 Question Type: MCQ Option Shuffling: No Display Question Number: Yes

Question Number: 42 Question Id: 707756272 Question Type: Single Line Question Option: No Option Orientation: Vertical Correct Marks: 1 Wrong Marks: 0

Which one of the following is not a secondary storage?

- a) magnetic disks
- b) magnetic tapes
- c) ram
- d) none of the mentioned

Question Number: 43 Question Id: 707756273 Question Type: MCQ Option Shuffling: No Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Correct Marks: 1 Wrong Marks: 0

A unit of storage that can store one or more records in a hash file organization is

denoted as

- a) Buckets
- b) Disk pages
- c) Blocks
- d) Nodes

Question Number : 44 Question Id : 707756274 Question Type : MCQ Option Shuffling : No Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct Marks: 1 Wrong Marks: 0

The highest level in the hierarchy of data organization is called

- a) Data bank
- b) Data base
- c) Data file
- d) Data record

Question Number: 45 Question Id: 707756275 Question Type: MCQ Option Shuffling: No Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Correct Marks: 1 Wrong Marks: 0

Which of these data models is an extension of the relational data model?

- a) Object-oriented data model
- b) Object-relational data model
- c) Semi structured data model
- d) None of the mentioned

Question Number : 46 Question Id : 707756276 Question Type : MCQ Option Shuffling : No Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct Marks: 1 Wrong Marks: 0

The information about data in a database is called

- a) Metadata
- b) Hyper data
- c) Tera data
- d) None of the mentioned

Question Number: 47 Question Id: 707756277 Question Type: MCQ Option Shuffling: No Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Relational schemas and other metadata about relations are stored in a structure called
the
a) Metadata
b) Catalog
c) Log
d) Data Dictionary
Question Number: 48 Question Id: 707756278 Question Type: MCQ Option Shuffling: No Display Question Number: Yes ingle Line Question Option: No Option Orientation: Vertical
Correct Marks: 1 Wrong Marks: 0
is a contiguous group of blocks allocated for use as part of a table, index,
and so forth.
a) Tablespace
b) Segment
c) Extent
d) Block
Question Number: 49 Question Id: 707756279 Question Type: MCQ Option Shuffling: No Display Question Number: Yes ingle Line Question Option: No Option Orientation: Vertical Correct Marks: 1 Wrong Marks: 0
A data dictionary is created when a created.
a) Instance
b) Segment
c) Database
d) Dictionary
Question Number: 50 Question Id: 707756280 Question Type: MCQ Option Shuffling: No Display Question Number: Yes ingle Line Question Option: No Option Orientation: Vertical Correct Marks: 1 Wrong Marks: 0 In a clustering index, the index record contains the search-key value and a pointer to the first data record with that search-key value and the rest of the records will be in the sequential pointers.  a) Dense b) Sparse c) Straight d) Continuous
Question Number: 51 Question Id: 707756281 Question Type: MCQ Option Shuffling: No Display Question Number: Yes ingle Line Question Option: No Option Orientation: Vertical Correct Marks: 1 Wrong Marks: 0  In B+ tree the node which points to another node is called a) Leaf node b) External node c) Final node d) Internal node

Question Number : 52 Question Id : 707756282 Question Type : MCQ Option Shuffling : No Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0

Insertion of a large number of entries at a time into an index is referred to as \_\_\_\_\_ of the index.

- a) Loading
- b) Bulk insertion
- c) Bulk loading
- d) Increase insertion

Question Number: 53 Question Id: 707756283 Question Type: MCQ Option Shuffling: No Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Correct Marks: 1 Wrong Marks: 0

The goal of hashing is to produce a search that takes

- a) O(1) time
- b) O(n2 )time
- c) O(log n ) time
- d) O(n log n ) time

Question Number: 54 Question Id: 707756284 Question Type: MCQ Option Shuffling: No Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Correct Marks: 1 Wrong Marks: 0

Breadth First Search is used in

- a) Binary trees
- b) Stacks
- c) Graphs
- d) All of the mentioned

Question Number: 55 Question Id: 707756285 Question Type: MCQ Option Shuffling: No Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Correct Marks: 1 Wrong Marks: 0

The separation of the data definition from the program is known as:

- a) Data dictionary
- b) Data independence
- c) Data integrity
- d) Referential integrity

Question Number : 56 Question Id : 707756286 Question Type : MCQ Option Shuffling : No Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct Marks: 1 Wrong Marks: 0

The traditional storage of data that is organized by customer, stored in separate folders

- in filing cabinets is an example of what type of 'database' system?
- a) Hierarchical
- b) Network
- c) Object oriented
- d) Relational

Question Number: 57 Question Id: 707756287 Question Type: MCQ Option Shuffling: No Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

The purpose of an N-Ary association is: a) To capture a parent-child relationship b) To deal with one to many relationships c) To deal with relationships that involve more than two tables d) To represent an inheritance relationship
Question Number: 58 Question Id: 707756288 Question Type: MCQ Option Shuffling: No Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical Correct Marks: 1 Wrong Marks: 0
A on the attribute A of relation r consists of one bitmap for each value that A
can take.
a) Bitmap index
b) Bitmap
c) Index
d) Array
Question Number: 59 Question Id: 707756289 Question Type: MCQ Option Shuffling: No Display Question Number: Yes bingle Line Question Option: No Option Orientation: Vertical Correct Marks: 1 Wrong Marks: 0  In a B+-tree index for each value, we would normally maintain a list of all records with that value for the indexed attribute.
a) Leaf
b) Node
c) Root
d) Link
Question Number: 60 Question Id: 707756290 Question Type: MCQ Option Shuffling: No Display Question Number: Yes lingle Line Question Option: No Option Orientation: Vertical Correct Marks: 1 Wrong Marks: 0
How many types of indexes are there in sql server?
a) 1
o) 2
-/ 2

d) 4

 $Question\ Number: 61\ Question\ Id: 707756291\ Question\ Type: MCQ\ Option\ Shuffling: No\ Display\ Question\ Number: Yes\ Single\ Line\ Question\ Option: No\ Option\ Orientation: Vertical$ 

Correct Marks: 1 Wrong Marks: 0

What are composite indexes?

- a) Are those which are composed by database for its internal use
- b) A composite index is a combination of index on 2 or more columns
- c) Composite index can never be created
- d) None of the mentioned

Question Number: 62 Question Id: 707756292 Question Type: MCQ Option Shuffling: No Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Α	index is the one which satisfies all the columns requested in the
query without performing	g further lookup into the clustered index.
a) Clustered	
b) Non Clustered	
c) Covering	
d) B-Tree	
-,	
	tion Id: 707756293 Question Type: MCQ Option Shuffling: No Display Question Number: Yes: No Option Orientation: Vertical  [arks: 0]
A table can be logically	connected to another table by defining a
a) Super key	, c
b) Candidate key	
c) Primary key	
d) Unique key	
<b>Single Line Question Option</b>	tion Id: 707756294 Question Type: MCQ Option Shuffling: No Display Question Number: Yes: No Option Orientation: Vertical
Correct Marks: 1 Wrong M	
	e is the lowest-level operator to access data.
<ul> <li>a) Index Search</li> </ul>	
b) Linear search	
c) File scan	
d) Access paths	
Question Number: 65 Quest Single Line Question Option Correct Marks: 1 Wrong M	tion Id: 707756295 Question Type: MCQ Option Shuffling: No Display Question Number: Yes: No Option Orientation: Vertical
• • • • • • • • • • • • • • • • • • • •	use an index are referred to as
0	use all lildex are reletted to as
a) Index Search	
b) Linear search	
c) File scan	
d) Access paths	
Ouestion Number : 66 Ouest	tion Id: 707756296 Question Type: MCQ Option Shuffling: No Display Question Number: Yes
<b>Single Line Question Option</b>	: No Option Orientation : Vertical
Correct Marks: 1 Wrong M	
	made PL/SQL code run faster without requiring any additional
work on the part of the p	orogrammer.
a) SQL Server	
b) My SQL	
c) Oracle	
d) SQL Lite	
Question Number: 67 Quest Single Line Question Option Correct Marks: 1 Wrong M	tion Id: 707756297 Question Type: MCQ Option Shuffling: No Display Question Number: Yes: No Option Orientation: Vertical  [arks: 0]

Identify the characteristics of transactions

- a) Atomicity
- b) Durability
- c) Isolation
- d) All of the mentioned

Question Number : 68 Question Id : 707756298 Question Type : MCQ Option Shuffling : No Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct Marks: 1 Wrong Marks: 0

The property of a transaction that persists all the crashes is

- a) Atomicity
- b) Durability
- c) Isolation
- d) All of the mentioned

Question Number: 69 Question Id: 707756299 Question Type: MCQ Option Shuffling: No Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Correct Marks: 1 Wrong Marks: 0

Which of the following is an atomic sequence of database actions?

- a) Transaction
- b) Concurrency
- c) Relations
- d) All of the mentioned

Question Number : 70 Question Id : 707756300 Question Type : MCQ Option Shuffling : No Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct Marks: 1 Wrong Marks: 0

\_\_\_\_\_ means that data used during the execution of a transaction cannot be used by a second transaction until the first one is completed.

- a) Serializability
- b) Atomicity
- c) Isolation
- d) Time stamping

 $\label{eq:Question Number: Yes Single Line Question Id: 707756301 Question Type: MCQ Option Shuffling: No \ Display Question Number: Yes Single Line Question Option: No \ Option Orientation: Vertical$ 

Correct Marks: 1 Wrong Marks: 0

Which of the following is not a state in transaction?

- a) Active
- b) Terminated
- c) Aborted
- d) Partially committed

Question Number: 72 Question Id: 707756302 Question Type: MCQ Option Shuffling: No Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

SQL can be used to:
a) Create database structures only
b) Query database data only

ata only

- c) Modify database data only
- d) All of the mentioned

Question Number: 73 Question Id: 707756303 Question Type: MCQ Option Shuffling: No Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Correct Marks: 1 Wrong Marks: 0

Which of the following protocols ensures conflict serializability and safety from deadlocks?

- a) Two-phase locking protocol
- b) Time-stamp ordering protocol
- c) Graph based protocol
- d) None of the mentioned

Question Number: 74 Question Id: 707756304 Question Type: MCQ Option Shuffling: No Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Correct Marks: 1 Wrong Marks: 0

lock allows concurrent transactions to access the same row as long as they require the use of different fields within that row.

- a) Table-level
- b) Page-level
- c) Row-level
- d) Field-level

Question Number: 75 Question Id: 707756305 Question Type: MCQ Option Shuffling: No Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Correct Marks: 1 Wrong Marks: 0

If a node is locked in an intention mode, explicit locking is done at a lower level of the

tree. This is called

- a) Intention lock modes
- b) Explicit lock
- c) Implicit lock
- d) Exclusive lock

Question Number: 76 Question Id: 707756306 Question Type: MCQ Option Shuffling: No Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Correct Marks: 1 Wrong Marks: 0

ensures that any conflicting read and write operations are executed in timestamp order.

- a) Timestamp-ordering protocol
- b) Timestamp protocol
- c) W-timestamp
- d) R-timestamp

Question Number: 77 Question Id: 707756307 Question Type: MCQ Option Shuffling: No Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Which one of the following is a failure to a system

- a) Boot crash
- b) Read failure
- c) Transaction failure
- d) All of the mentioned

Question Number : 78 Question Id : 707756308 Question Type : MCQ Option Shuffling : No Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct Marks: 1 Wrong Marks: 0

Which kind of failure loses its data in head crash or failure during a transfer operation.

- a) Transaction failure
- b) System crash
- c) Disk failure
- d) All of the mentioned

Question Number: 79 Question Id: 707756309 Question Type: MCQ Option Shuffling: No Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Correct Marks: 1 Wrong Marks: 0

In the \_\_\_\_\_ scheme, a transaction that wants to update the database first creates a complete copy of the database.

- a) Shadow copy
- b) Shadow Paging
- c) Update log records
- d) All of the mentioned

Question Number: 80 Question Id: 707756310 Question Type: MCQ Option Shuffling: No Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Correct Marks: 1 Wrong Marks: 0

Before a block of data in main memory can be output to the database, all log records pertaining to data in that block must have been output to stable storage. This is

- a) Read-write logging
- b) Read-ahead logging
- c) Write-ahead logging
- d) None of the mentioned

Question Number: 81 Question Id: 707756311 Question Type: MCQ Option Shuffling: No Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Correct Marks: 1 Wrong Marks: 0

The magnetic storage chip used to provide non-volatile direct access storage of data and that have no moving parts are known as

- a) Magnetic core memory
- b) Magnetic tape memory
- c) Magnetic disk memory
- d) Magnetic bubble memory

Question Number: 82 Question Id: 707756312 Question Type: MCQ Option Shuffling: No Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Which of the following is used for undo operations alone?

- a) Logical logging
- b) Physical logging
- c) Physical log records
- d) Physical logging and Physical log records

Question Number: 83 Question Id: 707756313 Question Type: MCQ Option Shuffling: No Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Correct Marks: 1 Wrong Marks: 0

Shadow paging has

- a) no redo
- b) no undo
- c) redo but no undo
- d) neither redo nor undo

Question Number: 84 Question Id: 707756314 Question Type: MCQ Option Shuffling: No Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Correct Marks: 1 Wrong Marks: 0

Which statement is true regarding synonyms?

- a) Synonyms can be created for tables but not views
- b) Synonyms are used to reference only those tables that are owned by another user
- c) A public synonym and a private synonym can exist with the same name for the same table
- d) The DROP SYNONYM statement removes the synonym, and the status of the table on which the synonym has been created becomes invalid

Question Number: 85 Question Id: 707756315 Question Type: MCQ Option Shuffling: No Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Correct Marks: 1 Wrong Marks: 0

Which is the process of breaking a relation into multiple relations:

- a) Functional dependency
- b) Database modeling
- c) Normalization
- d) Decomposition

Question Number: 86 Question Id: 707756316 Question Type: MCQ Option Shuffling: No Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Correct Marks: 1 Wrong Marks: 0

Which is a duplicate copy of a file program that is stored on a different storage media

than the original location;

- a) Concurrency
- b) Deadlock
- c) Backup
- d) Recovery

Question Number: 87 Question Id: 707756317 Question Type: MCQ Option Shuffling: No Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Which is the duplication of computer operations and routine backups to combat any
unforeseen problems:
a) Concurrency
b) Deadlock
c) Backup
d) Recovery
Question Number: 88 Question Id: 707756318 Question Type: MCQ Option Shuffling: No Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical Correct Marks: 1 Wrong Marks: 0
joins are SQL server default
a) Outer
b) Inner
c) Equi
d) None of the Mentioned
a) Note of the Mendenca
Question Number: 89 Question Id: 707756319 Question Type: MCQ Option Shuffling: No Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
Correct Marks: 1 Wrong Marks: 0
is a special type of stored procedure that is automatically invoked
whenever the data in the table is modified.
a) Procedure
b) Trigger
c) Curser
d) None of the Mentioned
Question Number: 90 Question Id: 707756320 Question Type: MCQ Option Shuffling: No Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical  Correct Marks: 1 Wrong Marks: 0  A transaction can do only read operation and not write operation on a data item when it acquires lock a) read mode b) exclusive mode c) shared mode d) write mode
Question Number: 91 Question Id: 707756321 Question Type: MCQ Option Shuffling: No Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical  Correct Marks: 1 Wrong Marks: 0 Isolations of the transactions is ensured by a) Transaction management b) Application programmer c) Concurrency control d) Recovery management
Question Number: 92 Question Id: 707756322 Question Type: MCQ Option Shuffling: No Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical  Correct Marks: 1 Wrong Marks: 0

## Throughput means

- a) number of transactions that re committed inone hour
- b) number of operations in a transaction
- c) number of transaction that can be aborted in a given amount of time
- d) number of transaction that can be executed in a given amount of time

Question Number: 93 Question Id: 707756323 Question Type: MCQ Option Shuffling: No Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Correct Marks: 1 Wrong Marks: 0

Assume transaction A holds a shared lock R. If transaction B also requests for a shared lock on R.

- a) It will result in a deadlock situation
- b) It will immediately be rejected
- c) It will immediately be granted
- d) It will be granted as soon as it is released by A

Question Number: 94 Question Id: 707756324 Question Type: MCQ Option Shuffling: No Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Correct Marks: 1 Wrong Marks: 0

A transaction that completes its execution successfully is said to be \_\_\_\_\_\_

- a) Committed
- b) Rolled back
- c) Partially committed
- d) Aborted

Question Number: 95 Question Id: 707756325 Question Type: MCQ Option Shuffling: No Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Correct Marks: 1 Wrong Marks: 0

For committing a transaction, the DBMS might discard all the records.

- a) After image
- b) Before image
- c) Log
- d) Redo log

Question Number : 96 Question Id : 707756326 Question Type : MCQ Option Shuffling : No Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct Marks: 1 Wrong Marks: 0

servers which is widely used in relational database designs

- a) Data servers
- b) Transaction servers
- c) Query servers
- d) Client servers

Question Number: 97 Question Id: 707756327 Question Type: MCQ Option Shuffling: No Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

The total ordering of operations across groups ensures of transactions	
a) Serializability	
b) Synchronizability	
c) Atomicity	
d) Durability	
Question Number: 98 Question Id: 707756328 Question Type: MCQ Option Shuffling: No Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical Correct Marks: 1 Wrong Marks: 0	)
Tree structures are used to store data in	
a) Network model	
b) Relational model	
c) Hierarchical model	
d) File based system	
Question Number: 99 Question Id: 707756329 Question Type: MCQ Option Shuffling: No Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical Correct Marks: 1 Wrong Marks: 0  Relational Calculus is a  a) Procedural language	
b) Non- procedural language	
c) Data definition language	
d) High level language	
Question Number: 100 Question Id: 707756330 Question Type: MCQ Option Shuffling: No Display Question Number: You Single Line Question Option: No Option Orientation: Vertical Correct Marks: 1 Wrong Marks: 0  Cartesian product in relational algebra is	es
a) Unary operator	
b) Binary operator	
c) Ternary operator	
d) not defined	