

National Testing Agency

Question Paper Name: Introduction to Sensory Disabilities
Subject Name: Introduction to Sensory Disabilities
Creation Date: 2018-12-02 12:36:47
Duration: 180
Total Marks: 60
Display Marks: Yes
Share Answer Key With Delivery Engine: Yes
Actual Answer Key: Yes

Introduction to Sensory Disabilities

Group Number : 1
Group Id : 41652931
Group Maximum Duration : 0
Group Minimum Duration : 120
Revisit allowed for view? : No
Revisit allowed for edit? : No
Break time: 0
Group Marks: 60

Introduction to Sensory Disabilities

Section Id : 41652931
Section Number : 1
Section type : Online
Mandatory or Optional: Mandatory
Number of Questions: 60
Number of Questions to be attempted: 60
Section Marks: 60
Display Number Panel: Yes
Group All Questions: No

Sub-Section Number: 1
Sub-Section Id: 41652932
Question Shuffling Allowed : Yes

Question Number : 1 Question Id : 4165292441 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

The human ear is capable of responding to the frequency, ranging from

- a. 10Hz to 10,000 Hz
- b. 20Hz to 20,000 Hz
- c. 10 Hz to 20,000 Hz
- d. 0 Hz to 10,000 Hz

Question Number : 2 Question Id : 4165292442 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

The psychological attribute of intensity is

- a. Pitch
- b. loudness
- c. Timbre
- d. phase

**Question Number : 3 Question Id : 4165292443 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical**

Correct Marks : 1 Wrong Marks : 0

Ear canal is otherwise known as

- a. Internal auditory meatus
- b. pinna
- c. ear drum
- d. External auditory meatus

**Question Number : 4 Question Id : 4165292444 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical**

Correct Marks : 1 Wrong Marks : 0

The main function of the inner ear is _____

- a. receiving & conducting
- b. conducting & interpreting
- c. hearing & balancing
- d. hearing & perceiving

**Question Number : 5 Question Id : 4165292445 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical**

Correct Marks : 1 Wrong Marks : 0

The smallest bone in the ear is _____

- a. Incus
- b. Malleus
- c. Stapes
- d. Ear drum

**Question Number : 6 Question Id : 4165292446 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical**

Correct Marks : 1 Wrong Marks : 0

Ear drum is otherwise known as _____

- a. Ear canal
- b. Tympanic membrane
- c. Pinna
- d. Middle ear

**Question Number : 7 Question Id : 4165292447 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical**

Correct Marks : 1 Wrong Marks : 0

Stapes helps in transmission and amplification of sound waves from

- a. Middle ear to inner ear
- b. Outer ear to middle ear
- c. Outer ear to inner ear
- d. Inner ear to brain

**Question Number : 8 Question Id : 4165292448 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical**

Correct Marks : 1 Wrong Marks : 0

Middle ear cavity is connected to throat by

- a. Ear canal
- b. Oval window
- c. Eustachian tube
- d. Round window

Question Number : 9 Question Id : 4165292449 Question Type : MCQ Option Shuffling : No Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

The footplate of the stapes rests on

- a. Pinna
- b. Oval window
- c. Round window
- d. Cochlea

Question Number : 10 Question Id : 4165292450 Question Type : MCQ Option Shuffling : No Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

Sound received from inner ear is transmitted to the brain, through

- a. V cranial nerve
- b. VI cranial nerve
- c. VII cranial nerve
- d. VIII cranial nerve

Question Number : 11 Question Id : 4165292451 Question Type : MCQ Option Shuffling : No Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

Scala Vestibuli and Scala Tympani are filled with_____.

- a. endolymph
- b. perilymph
- c. holicotrene
- d. ensolymph

Question Number : 12 Question Id : 4165292452 Question Type : MCQ Option Shuffling : No Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

Hearing impairment acquired before the development of speech and language is referred to as

_____.

- a. Pre lingual hearing loss
- b. post
- c. congenital
- d. acquired

Question Number : 13 Question Id : 4165292453 Question Type : MCQ Option Shuffling : No Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

Hearing loss occurring prior to birth is referred to as _____.

- a. congenital hearing loss
- b. Acquired hearing loss
- c. On set of hearing loss
- d. Conductive hearing loss

Question Number : 14 Question Id : 4165292454 Question Type : MCQ Option Shuffling : No Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

Hearing loss developed during prenatal or natal period is termed as _____

- a. Organic hearing loss
- b. Non - Organic hearing loss
- c. Conductive hearing loss
- d. congenital hearing loss

Question Number : 15 Question Id : 4165292455 Question Type : MCQ Option Shuffling : No Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

Hereditary hearing loss is caused by _____ factors

- a. Genetic
- b. Blood
- c. Nerves
- d. Ear

Question Number : 16 Question Id : 4165292456 Question Type : MCQ Option Shuffling : No Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

Hearing loss developed during the first three year of life is known as _____

- a. Pre lingual hearing loss
- b. Post lingual hearing loss
- c. Organic hearing loss
- d. Non - Organic hearing loss

Question Number : 17 Question Id : 4165292457 Question Type : MCQ Option Shuffling : No Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

The defect acquired between the auditory nerve pathways to brain stem is referred to as _____

- a. Conductive hearing impairment
- b. sensory neural hearing impairment
- c. Mixed hearing impairment
- d. Central processing hearing impairment

Question Number : 18 Question Id : 4165292458 Question Type : MCQ Option Shuffling : No Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

The type of hearing impairment in which the sound is conducted properly but is not analyzed is _____

- a. conductive hearing impairment
- b. sensory neural hearing impairment
- c. mixed hearing impairment
- d. central processing hearing impairment

Question Number : 19 Question Id : 4165292459 Question Type : MCQ Option Shuffling : No Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

The damage in both outer, middle and inner ear is known as _____

- a. Conductive hearing impairment
- b. Sensory neural hearing impairment
- c. Mixed hearing impairment
- d. Central processing hearing impairment

Question Number : 20 Question Id : 4165292460 Question Type : MCQ Option Shuffling : No Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

The gradual and sudden loss of hearing is classified under

- a. Conductive hearing impairment
- b. Sensory neural hearing impairment
- c. Mixed hearing impairment
- d. Nnatural hearing impairment

Question Number : 21 Question Id : 4165292461 Question Type : MCQ Option Shuffling : No Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

Auditory system are acts as a -----

- a. Relay centre
- b. Open centre
- c. Connection centre
- d. Middle centre

Question Number : 22 Question Id : 4165292462 Question Type : MCQ Option Shuffling : No Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

The condition in which the child cannot understand the amplified speech is as

- a. Profound hearing loss
- b. Mild hearing loss
- c. Sever hearing loss
- d. Moderate hearing loss

Question Number : 23 Question Id : 4165292463 Question Type : MCQ Option Shuffling : No Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

Pure tone audiometry is ----- hearing test

- a. subjective
- b. objective
- c. formal
- d. informal

Question Number : 24 Question Id : 4165292464 Question Type : MCQ Option Shuffling : No Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

Different speech sounds are produced

- a. With breath only
- b. With voice only
- c. With articulation only
- d. In the same manner

Question Number : 25 Question Id : 4165292465 Question Type : MCQ Option Shuffling : No Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

Informal hearing test are used for

- a. speech purpose
- b. anguage purpose
- c. screening purpose
- d. communication purpose

Question Number : 26 Question Id : 4165292466 Question Type : MCQ Option Shuffling : No Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

This type of audiometer is useful to assess the middle ear function

- a. BERA
- b. OTE
- c. Impedance
- d. CERA

Question Number : 27 Question Id : 4165292467 Question Type : MCQ Option Shuffling : No Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

The subjective test which is used for assessment of hearing -----

- a. Pure tone
- b. Impedence
- c. BERA
- d. OTE

Question Number : 28 Question Id : 4165292468 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

Which audiometric test is approved by the government of India for the authorization of hearing impairment

- a. Pure tone
- b. Impedence
- c. BERA
- d. CERA

Question Number : 29 Question Id : 4165292469 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

The bone vibrate has to be placed in which part of the ear -----

- a. Pinna
- b. Helix
- c. Mastoid
- d. Lubella

Question Number : 30 Question Id : 4165292470 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

Voluntary response from an individual is expected from which audiometry test -----

- a. BERA
- b. CERA
- c. OTE
- d. Pure tone

Question Number : 31 Question Id : 4165292471 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

Speech reception threshold and speech identification score will be calculated through -----

- a. Speech trainer
- b. Erber test
- c. Speech audiometry test
- d. Articulatory test

Question Number : 32 Question Id : 4165292472 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

The hearing impaired child can understand his teacher's speech if the class room is

- a. illuminated
- b. Has ordinary light
- c. Has special furniture
- d. Has special material

Question Number : 33 Question Id : 4165292473 Question Type : MCQ Option Shuffling : No Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

Auditory perception of sound means

- a. Hearing
- b. Cognition
- c. Understanding
- d. all the above

Question Number : 34 Question Id : 4165292474 Question Type : MCQ Option Shuffling : No Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

IEP is preferred for deaf because

- a. It is child centered education
- b. It involves is more personnel
- c. They have more problems
- d. The child's disability is taken into consideration

Question Number : 35 Question Id : 4165292475 Question Type : MCQ Option Shuffling : No Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

Integrated programme can be successful only by the

- a. Itinerant teacher visits frequently
- b. Social worker's assistance is effective
- c. good coordination between regular teacher and resource teacher
- d. good support from headmaster

Question Number : 36 Question Id : 4165292476 Question Type : MCQ Option Shuffling : No Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

The oral method involves in use of

- a. Finger-spelling
- b. Speech and speech reading
- c. Sign and gestures
- d. Writing alone

Question Number : 37 Question Id : 4165292477 Question Type : MCQ Option Shuffling : No Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

The manual method is very helpful in

- a. main streaming of hearing impaired children
- b. convey complex thought in a perfect manner
- c. solving the difficulties of hearing impaired children
- d. education of children hearing impairment

Question Number : 38 Question Id : 4165292478 Question Type : MCQ Option Shuffling : No Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

The aural method utilizes

- a. maximum use of residual hearing
- b. hearing aid
- c. sign and gestures
- d. kinesthetic cues

Question Number : 39 Question Id : 4165292479 Question Type : MCQ Option Shuffling : No Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

ISL stands for

- a. Indian Sign Language
- b. Indian Sign Ling
- c. Indian Signal Language
- d. Indian Science Language

Question Number : 40 Question Id : 4165292480 Question Type : MCQ Option Shuffling : No Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

The first step in auditory training is

- a. Identification
- b. Discrimination
- c. Awareness
- d. Recognition

Question Number : 41 Question Id : 4165292481 Question Type : MCQ Option Shuffling : No Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

Visual acuity of a normal person is

- a. 6/6
- b. 6/12
- c. 6/18
- d. 6/24

Question Number : 42 Question Id : 4165292482 Question Type : MCQ Option Shuffling : No Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

Increase in the intraocular pressure is known as

- a. cataract
- b. glaucoma
- c. trachoma
- d. retinitis pigmentosa

Question Number : 43 Question Id : 4165292483 Question Type : MCQ Option Shuffling : No Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

Night blindness is caused due to the deficiency of Vitamin

- a. A
- b. B
- c. C
- d. D

Question Number : 44 Question Id : 4165292484 Question Type : MCQ Option Shuffling : No Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

Diabetes affects mainly ___ part of the eye

- a. sclera
- b. cornea
- c. iris
- d. retina

Question Number : 45 Question Id : 4165292485 Question Type : MCQ Option Shuffling : No Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

Lodging of a foreign body in the eye may lead to

- a. corneal ulcer
- b. optic atrophy
- c. retinitis pigmentosa
- d. retinopathy

Question Number : 46 Question Id : 4165292486 Question Type : MCQ Option Shuffling : No Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

The hereditary absence of pigment in the iris, skin and hair is known as

- a. astigmatism
- b. albinism
- c. nystagmus
- d. trachoma

Question Number : 47 Question Id : 4165292487 Question Type : MCQ Option Shuffling : No Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

The person involved in clinical assessment of visual problems

- a. dermatologist
- b. occupational therapist
- c. neurologist
- d. ophthalmologist

Question Number : 48 Question Id : 4165292488 Question Type : MCQ Option Shuffling : No Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

In India, blindness is mainly due to

- a. cataract
- b. traucoma
- c. glaucoma
- d. xerophthalmia

Question Number : 49 Question Id : 4165292489 Question Type : MCQ Option Shuffling : No Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

The function of the choroid is to

- a. protect the foreign bodies
- b. produce aqueous humour
- c. nourish retina
- d. bend light rays

Question Number : 50 Question Id : 4165292490 Question Type : MCQ Option Shuffling : No Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

Mixture of fact and fiction is known as

- a. stereotype
- b. attitude
- c. feeling
- d. reaction

Question Number : 51 Question Id : 4165292491 Question Type : MCQ Option Shuffling : No Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

Stereotype response is

- a. state of negligence
- b. unbiased attitude
- c. misconceptions and beliefs
- d. repetition of the same response

Question Number : 52 Question Id : 4165292492 Question Type : MCQ Option Shuffling : No Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

The learning of visually impaired children is treated as ----- learning

- a. natural
- b. mediated
- c. unnatural
- d. isolated

Question Number : 53 Question Id : 4165292493 Question Type : MCQ Option Shuffling : No Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

Plus curriculum is ____for visually impaired children

- a. extra
- b. supplementary
- c. additional
- d. compensatory

Question Number : 54 Question Id : 4165292494 Question Type : MCQ Option Shuffling : No Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

Braille is invented by

- a. Louis Braille
- b. Valentine Haüy
- c. Rushton
- d. William Taylor

Question Number : 55 Question Id : 4165292495 Question Type : MCQ Option Shuffling : No Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

Braille writing in slate is done

- a. from left to right
- b. from right to left
- c. anywhere in the Braille cell
- d. top to bottom

Question Number : 56 Question Id : 4165292496 Question Type : MCQ Option Shuffling : No Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

Braille has ___ dots.

- a. 6
- b. 8
- c. 5
- d. 10

Question Number : 57 Question Id : 4165292497 Question Type : MCQ Option Shuffling : No Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

Stylus is used for writing on

- a. Taylor's frame
- b. abacus
- c. Braille slate
- d. talking machine

Question Number : 58 Question Id : 4165292498 Question Type : MCQ Option Shuffling : No Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

Universally accepted technique of braille reading is

- a. using the right hand forefinger
- b. using the left hand forefinger
- c. using both fingers
- d. using all the fingers

Question Number : 59 Question Id : 4165292499 Question Type : MCQ Option Shuffling : No Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

The largest letter on an eye chart often represents acuity Of

- a. 6/18
- b. 6/24
- c. 6/36
- d. 6/60

Question Number : 60 Question Id : 4165292500 Question Type : MCQ Option Shuffling : No Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

Provision of embossed diagrams in the text is to enable the visually impaired children to

- a. draw the diagram by himself
- b. understand the idea of the diagram
- c. develop his tactile ability
- d. make him feel like peers