

National Testing Agency

Question Paper Name :	Introduction to Poultry Farming 30 Sep 2020 Shift 2
Subject Name :	Introduction to Poultry Farming
Creation Date :	2020-09-30 18:37:39
Duration :	180
Number of Questions :	100
Total Marks :	100
Display Marks:	Yes

Introduction to Poultry Farming

Group Number :	1
Group Id :	899514203
Group Maximum Duration :	0
Group Minimum Duration :	120
Show Attended Group? :	No
Edit Attended Group? :	No
Break time :	0
Group Marks :	100
Is this Group for Examiner? :	No

Introduction to Poultry Farming

Section Id :	899514283
Section Number :	1
Section type :	Online
Mandatory or Optional :	Mandatory
Number of Questions :	100
Number of Questions to be attempted :	100

Section Marks : 100
Mark As Answered Required? : Yes
Sub-Section Number : 1
Sub-Section Id : 899514328
Question Shuffling Allowed : Yes

Question Number : 1 Question Id : 89951417199 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No
Correct Marks : 1 Wrong Marks : 0

Free-range and Backyard Farming pertains to _____ system of rearing.

- 1) Extensive
- 2) Intensive
- 3) Semi-intensive
- 4) All of the above

Options :

- 89951467198. 1
- 89951467199. 2
- 89951467200. 3
- 89951467201. 4

Question Number : 2 Question Id : 89951417200 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No
Correct Marks : 1 Wrong Marks : 0

As per Human Nutritionists, the recommended yearly per capita egg consumption is _____ eggs per person per year.

- 1) 120
- 2) 180
- 3) 280
- 4) 360

Options :

- 89951467202. 1
- 89951467203. 2
- 89951467204. 3
- 89951467205. 4

Question Number : 3 Question Id : 89951417201 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Correct Marks : 1 Wrong Marks : 0

Annual per capita egg consumption in India stands at _____ numbers.

- 1) 40
- 2) 60
- 3) 80
- 4) 100

Options :

- 89951467206. 1
- 89951467207. 2
- 89951467208. 3
- 89951467209. 4

Question Number : 4 Question Id : 89951417202 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Correct Marks : 1 Wrong Marks : 0

India ranks _____ in the egg production in the world.

- 1) first
- 2) second
- 3) third
- 4) fourth

Options :

- 89951467210. 1
- 89951467211. 2
- 89951467212. 3
- 89951467213. 4

Question Number : 5 Question Id : 89951417203 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Correct Marks : 1 Wrong Marks : 0

Poultry contributes a major share in terms of _____ supplementation in human diets.

- 1) Protein
- 2) Carbohydrate
- 3) Fat
- 4) Minerals and Vitamins

Options :

- 89951467214. 1
- 89951467215. 2
- 89951467216. 3
- 89951467217. 4

Question Number : 6 Question Id : 89951417204 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Correct Marks : 1 Wrong Marks : 0

Modern day Broilers attain _____kg body weight with an FCR of 1.6 to 1.8 in 6 weeks.

- 1) 1.2 to 1.4
- 2) 1.8 to 2.0
- 3) 2.5 to 2.7
- 4) 3.0 to 3.2

Options :

- 89951467218. 1
- 89951467219. 2
- 89951467220. 3
- 89951467221. 4

Question Number : 7 Question Id : 89951417205 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Correct Marks : 1 Wrong Marks : 0

Modern Day Layers yields _____ eggs per year.

- 1) 200-220
- 2) 260-270
- 3) 310-320
- 4) 360-370

Options :

89951467222. 1
89951467223. 2
89951467224. 3
89951467225. 4

**Question Number : 8 Question Id : 89951417206 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No
Correct Marks : 1 Wrong Marks : 0**

Feed cost constitutes to about _____% of the cost of production in a poultry farm.

- 1) 80-90
- 2) 60-70
- 3) 40-50
- 4) 20-30

Options :

89951467226. 1
89951467227. 2
89951467228. 3
89951467229. 4

**Question Number : 9 Question Id : 89951417207 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No
Correct Marks : 1 Wrong Marks : 0**

Normally, the commercial stocks, whether broilers or layers, are taken up with ____chicks.

- 1) 10-day old
- 2) 7-day old
- 3) 4-day old
- 4) 1-day old

Options :

89951467230. 1
89951467231. 2
89951467232. 3
89951467233. 4

**Question Number : 10 Question Id : 89951417208 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No
Correct Marks : 1 Wrong Marks : 0**

_____ feeding is a newer concept in our country which is gaining popularity.

- 1) Dry Mash
- 2) Wet Mash
- 3) Crumble
- 4) Pellet

Options :

- 89951467234. 1
- 89951467235. 2
- 89951467236. 3
- 89951467237. 4

Question Number : 11 Question Id : 89951417209 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Correct Marks : 1 Wrong Marks : 0

A technique by which semen of male chicken is introduced or deposited into the female reproductive tract by a pipette is known as _____.

- 1) Pen Mating
- 2) Candling
- 3) Artificial Incubation
- 4) Artificial Insemination

Options :

- 89951467238. 1
- 89951467239. 2
- 89951467240. 3
- 89951467241. 4

Question Number : 12 Question Id : 89951417210 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Correct Marks : 1 Wrong Marks : 0

_____ is a fleshy protuberance (swelling) on the top of the hen's head varying in size and shape.

- 1) Comb
- 2) Wattle
- 3) Beak
- 4) Snood

Options :

89951467242. 1
89951467243. 2
89951467244. 3
89951467245. 4

Question Number : 13 Question Id : 89951417211 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Correct Marks : 1 Wrong Marks : 0

FCR stands for _____

- 1) Feed Control Rate
- 2) Feed Control Ratio
- 3) Feed Conversion Rate
- 4) Feed Conversion Ratio

Options :

89951467246. 1
89951467247. 2
89951467248. 3
89951467249. 4

Question Number : 14 Question Id : 89951417212 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Correct Marks : 1 Wrong Marks : 0

_____ is the period of time between two batches when the house is depopulated, disinfected, kept closed and empty.

- 1) Clutch
- 2) Pause
- 3) Downtime
- 4) Pipping

Options :

89951467250. 1
89951467251. 2
89951467252. 3
89951467253. 4

Question Number : 15 Question Id : 89951417213 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Correct Marks : 1 Wrong Marks : 0

_____ is the hatching of eggs through a mechanical equipment such as setter/hatcher.

- 1) Artificial Incubation
- 2) Brooding
- 3) Artificial Insemination
- 4) Candling

Options :

89951467254. 1
89951467255. 2
89951467256. 3
89951467257. 4

Question Number : 16 Question Id : 89951417214 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Correct Marks : 1 Wrong Marks : 0

Poultry is a cold-blooded vertebrate which means that their body temperature is relatively_____.

- 1) Low
- 2) Moderate
- 3) High
- 4) All of them

Options :

89951467258. 1
89951467259. 2
89951467260. 3
89951467261. 4

Question Number : 17 Question Id : 89951417215 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Correct Marks : 1 Wrong Marks : 0

In Chicken, the Pulse rate is about _____ beats per minute.

- 1) 100-140
- 2) 200-240
- 3) 300-370
- 4) 450-500

Options :

89951467262. 1

89951467263. 2

89951467264. 3

89951467265. 4

Question Number : 18 Question Id : 89951417216 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0

_____ (organ) helps in crushing and grinding of food in Chicken.

- 1) Crop
- 2) Gizzard
- 3) Proventriculus
- 4) Small Intestine

Options :

89951467266. 1

89951467267. 2

89951467268. 3

89951467269. 4

Question Number : 19 Question Id : 89951417217 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0

_____ help birds in providing insulation from extremes of temperature (heat and cold).

- 1) Eyes
- 2) Ears
- 3) Feathers
- 4) Beak

Options :

89951467270. 1

89951467271. 2

89951467272. 3

89951467273. 4

Question Number : 20 Question Id : 89951417218 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Correct Marks : 1 Wrong Marks : 0

Inner and Outer shell membranes of egg are formed in _____.

- 1) Infundibulum
- 2) Magnum
- 3) Isthmus
- 4) Uterus

Options :

89951467274. 1

89951467275. 2

89951467276. 3

89951467277. 4

Question Number : 21 Question Id : 89951417219 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Correct Marks : 1 Wrong Marks : 0

_____ is calculated by dividing total eggs laid in the season by the average number of birds in the house.

- 1) Hatchability
- 2) Hen-day-production
- 3) Hen-housed-average
- 4) Liveability

Options :

89951467278. 1

89951467279. 2

89951467280. 3

89951467281. 4

Question Number : 22 Question Id : 89951417220 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Correct Marks : 1 Wrong Marks : 0

We can get returns till _____ weeks of age of birds in the form of eggs in layer farming.

- 1) 21
- 2) 36
- 3) 52
- 4) 72

Options :

- 89951467282. 1
- 89951467283. 2
- 89951467284. 3
- 89951467285. 4

Question Number : 23 Question Id : 89951417221 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0

In _____ farming system, the birds are left free outside and provided house or shelter only during night.

- 1) Intensive
- 2) Semi-intensive
- 3) Extensive
- 4) Semi-extensive

Options :

- 89951467286. 1
- 89951467287. 2
- 89951467288. 3
- 89951467289. 4

Question Number : 24 Question Id : 89951417222 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0

In India, _____ are popularly reared under Deep litter system commercially.

- 1) Layers
- 2) Broilers
- 3) Emu
- 4) None of them

Options :

89951467290. 1
89951467291. 2
89951467292. 3
89951467293. 4

Question Number : 25 Question Id : 89951417223 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Correct Marks : 1 Wrong Marks : 0

It is possible to get quick returns in _____ farming.

- 1) Turkey
- 2) Layer
- 3) Emu
- 4) Broiler

Options :

89951467294. 1
89951467295. 2
89951467296. 3
89951467297. 4

Question Number : 26 Question Id : 89951417224 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Correct Marks : 1 Wrong Marks : 0

Directorate of Poultry Research (DPR) is located in _____.

- 1) Bangalore
- 2) Bareilly
- 3) Bhubaneshwar
- 4) Hyderabad

Options :

89951467298. 1
89951467299. 2
89951467300. 3
89951467301. 4

Question Number : 27 Question Id : 89951417225 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0

The price of eggs in India is fixed by _____.

- 1) BCC
- 2) BROMARK
- 3) NECC
- 4) PFI

Options :

- 89951467302. 1
- 89951467303. 2
- 89951467304. 3
- 89951467305. 4

Question Number : 28 Question Id : 89951417226 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0

In Poultry Venture Capital Fund, _____ per cent of the total investment will be borne by the borrower.

- 1) 10
- 2) 20
- 3) 30
- 4) 40

Options :

- 89951467306. 1
- 89951467307. 2
- 89951467308. 3
- 89951467309. 4

Question Number : 29 Question Id : 89951417227 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0

Size of flocks may vary from a few hundreds to few thousands in clusters in _____ farming system.

- 1) Commercial
- 2) Family poultry
- 3) Small holder
- 4) All of them

Options :

- 89951467310. 1
- 89951467311. 2
- 89951467312. 3
- 89951467313. 4

Question Number : 30 Question Id : 89951417228 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Correct Marks : 1 Wrong Marks : 0

The financial assistance in the form of loans is available from various nationalized banks with refinance facility from _____.

- 1) State Government
- 2) NABARD
- 3) RBI
- 4) KVK

Options :

- 89951467314. 1
- 89951467315. 2
- 89951467316. 3
- 89951467317. 4

Question Number : 31 Question Id : 89951417229 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Correct Marks : 1 Wrong Marks : 0

Majority of _____ lays eggs before 9.00 A.M. which helps in easy egg collection as well as saves labour cost.

- 1) Chicken
- 2) Ducks
- 3) Quails
- 4) Turkey

Options :

- 89951467318. 1
- 89951467319. 2
- 89951467320. 3
- 89951467321. 4

Question Number : 32 Question Id : 89951417230 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No
Correct Marks : 1 Wrong Marks : 0

Turkey meat contains very less _____ as compared to meat of other avian species.

- 1) Protein
- 2) Fat
- 3) Minerals
- 4) Carbohydrates

Options :

- 89951467322. 1
- 89951467323. 2
- 89951467324. 3
- 89951467325. 4

Question Number : 33 Question Id : 89951417231 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No
Correct Marks : 1 Wrong Marks : 0

_____ lays egg which are mottled in appearance.

- 1) Quail
- 2) Peafowl
- 3) Pigeon
- 4) Swan

Options :

- 89951467326. 1
- 89951467327. 2
- 89951467328. 3
- 89951467329. 4

Question Number : 34 Question Id : 89951417232 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No
Correct Marks : 1 Wrong Marks : 0

BV-300 is a _____ bird/variety.

- 1) Broiler
- 2) Layer
- 3) Dual purpose
- 4) All of them

Options :

- 89951467330. 1
- 89951467331. 2
- 89951467332. 3
- 89951467333. 4

Question Number : 35 Question Id : 89951417233 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Correct Marks : 1 Wrong Marks : 0

_____ are seasonal breeder and lay eggs between March and September.

- 1) Chicken
- 2) Duck
- 3) Turkey
- 4) Guinea Fowl

Options :

- 89951467334. 1
- 89951467335. 2
- 89951467336. 3
- 89951467337. 4

Question Number : 36 Question Id : 89951417234 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Correct Marks : 1 Wrong Marks : 0

Vanaraja is a choice bird for backyard farming in rural and tribal areas developed by ____.

- 1) CARI, Bareilly
- 2) PDP/DPR, Hyderabad
- 3) CPDO, Bhubaneshwar
- 4) Veterinary College, Hebbal, Bangalore

Options :

89951467338. 1
89951467339. 2
89951467340. 3
89951467341. 4

Question Number : 37 Question Id : 89951417235 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Correct Marks : 1 Wrong Marks : 0

Under backyard poultry rearing system, generally _____ shelled eggs are produced.

- 1) Brown
- 2) White
- 3) Orange
- 4) Mottled

Options :

89951467342. 1
89951467343. 2
89951467344. 3
89951467345. 4

Question Number : 38 Question Id : 89951417236 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Correct Marks : 1 Wrong Marks : 0

In _____ farming, a group of 8 to 10 farmers or educated youth can form a group and grow the birds in groups of 500 to 1,000 birds in low-cost houses.

- 1) Backyard
- 2) Cluster
- 3) Commercial
- 4) Free-range

Options :

89951467346. 1
89951467347. 2
89951467348. 3
89951467349. 4

Question Number : 39 Question Id : 89951417237 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0

Each broiler bird requires a minimum of ____ sq. ft. area.

- 1) 1
- 2) 2
- 3) 3
- 4) 4

Options :

- 89951467350. 1
- 89951467351. 2
- 89951467352. 3
- 89951467353. 4

Question Number : 40 Question Id : 89951417238 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0

In rural backyard poultry farming, average egg production is ____ eggs per hen per year.

- 1) 10-15
- 2) 25-30
- 3) 50-60
- 4) 100-110

Options :

- 89951467354. 1
- 89951467355. 2
- 89951467356. 3
- 89951467357. 4

Question Number : 41 Question Id : 89951417239 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0

A brooder with 300 chicks requires ____ chick waterers.

- 1) 5
- 2) 6
- 3) 7
- 4) 8

Options :

89951467358. 1
89951467359. 2
89951467360. 3
89951467361. 4

Question Number : 42 Question Id : 89951417240 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No
Correct Marks : 1 Wrong Marks : 0

Chicks need additional heat during the first _____ week(s) of their life.

- 1) 1
- 2) 2
- 3) 3
- 4) 4

Options :

89951467362. 1
89951467363. 2
89951467364. 3
89951467365. 4

Question Number : 43 Question Id : 89951417241 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No
Correct Marks : 1 Wrong Marks : 0

_____ brooder is an inverted umbrella made of galvanized iron or bamboo basket of 2 to 3 feet diameter with 3 to 4 bulb holders having bulbs for heating and lighting.

- 1) Canopy
- 2) Infrared
- 3) Reflector
- 4) Ultraviolet

Options :

89951467366. 1
89951467367. 2
89951467368. 3
89951467369. 4

Question Number : 44 Question Id : 89951417242 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Correct Marks : 1 Wrong Marks : 0

In small broiler farm, we can use _____drinker for broiler chicks of 1 to 2 weeks of age.

- 1) Fountain
- 2) Linear
- 3) Bell
- 4) All of them

Options :

- 89951467370. 1
- 89951467371. 2
- 89951467372. 3
- 89951467373. 4

Question Number : 45 Question Id : 89951417243 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Correct Marks : 1 Wrong Marks : 0

In canopy brooding, the run space will be approximately _____ to that of brooding area in areas of warm weather.

- 1) Half
- 2) Thrice
- 3) Twice
- 4) Equal

Options :

- 89951467374. 1
- 89951467375. 2
- 89951467376. 3
- 89951467377. 4

Question Number : 46 Question Id : 89951417244 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Correct Marks : 1 Wrong Marks : 0

The orientation of the broiler house should be _____ for proper and functional ventilation.

- 1) East-West
- 2) North-South
- 3) North-East
- 4) South-West

Options :

- 89951467378. 1
- 89951467379. 2
- 89951467380. 3
- 89951467381. 4

Question Number : 47 Question Id : 89951417245 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Correct Marks : 1 Wrong Marks : 0

In a large commercial broiler farm under _____ system, Bell type watering system is preferred.

- 1) deep litter
- 2) cage
- 3) slate
- 4) All of them

Options :

- 89951467382. 1
- 89951467383. 2
- 89951467384. 3
- 89951467385. 4

Question Number : 48 Question Id : 89951417246 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Correct Marks : 1 Wrong Marks : 0

The live birds should be preferably brought in _____ cages from the farms.

- 1) Wooden
- 2) Plastic
- 3) Cardboard
- 4) All of them

Options :

- 89951467386. 1
- 89951467387. 2
- 89951467388. 3
- 89951467389. 4

Question Number : 49 Question Id : 89951417247 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Correct Marks : 1 Wrong Marks : 0

Broiler birds consumes water @ _____ the quantity of the feed consumed.

- 1) half
- 2) equal
- 3) twice
- 4) thrice

Options :

- 89951467390. 1
- 89951467391. 2
- 89951467392. 3
- 89951467393. 4

Question Number : 50 Question Id : 89951417248 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Correct Marks : 1 Wrong Marks : 0

Broiler starter ration should contain at least _____% crude protein.

- 1) 15-16
- 2) 18-19
- 3) 22-23
- 4) 25-26

Options :

- 89951467394. 1
- 89951467395. 2
- 89951467396. 3
- 89951467397. 4

Question Number : 51 Question Id : 89951417249 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0

_____ is a commercial Layer variety.

- 1) Grampriya
- 2) Priya
- 3) Sonali
- 4) BV-320

Options :

89951467398. 1
89951467399. 2
89951467400. 3
89951467401. 4

Question Number : 52 Question Id : 89951417250 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No
Correct Marks : 1 Wrong Marks : 0

Optimally, egg collection should be done _____.

- 1) Once a day
- 2) Twice a day
- 3) Thrice a day
- 4) Every alternate day

Options :

89951467402. 1
89951467403. 2
89951467404. 3
89951467405. 4

Question Number : 53 Question Id : 89951417251 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No
Correct Marks : 1 Wrong Marks : 0

_____ type brooder reflects downwards heat produced by the heating element.

- 1) Canopy
- 2) Infra-red
- 3) Reflector
- 4) Electrical

Options :

89951467406. 1
89951467407. 2
89951467408. 3
89951467409. 4

**Question Number : 54 Question Id : 89951417252 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No
Correct Marks : 1 Wrong Marks : 0**

Layer adult birds consume _____gm of water per gm of feed.

- 1) 1
- 2) 2
- 3) 3
- 4) 4

Options :

89951467410. 1
89951467411. 2
89951467412. 3
89951467413. 4

**Question Number : 55 Question Id : 89951417253 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No
Correct Marks : 1 Wrong Marks : 0**

_____ is a system of housing poultry made up of steel and welded wire netting in horizontal, stepped or vertical configuration usually in two or three tiers.

- 1) Deep Litter System
- 2) Cage System
- 3) Slate System
- 4) All of them

Options :

89951467414. 1
89951467415. 2
89951467416. 3
89951467417. 4

Question Number : 56 Question Id : 89951417254 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0

_____ drinkers are preferred in large scale commercial layer farms.

- 1) Bell
- 2) Circular
- 3) Linear
- 4) Nipple

Options :

89951467418. 1
89951467419. 2
89951467420. 3
89951467421. 4

Question Number : 57 Question Id : 89951417255 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No
Correct Marks : 1 Wrong Marks : 0

Egg collection is done usually _____.

- 1) Once in two days
- 2) Once a day
- 3) Twice a day
- 4) All of them

Options :

89951467422. 1
89951467423. 2
89951467424. 3
89951467425. 4

Question Number : 58 Question Id : 89951417256 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No
Correct Marks : 1 Wrong Marks : 0

Khaki Campbell is a _____ breed.

- 1) Duck
- 2) Quail
- 3) Turkey
- 4) Chicken

Options :

89951467426. 1
89951467427. 2
89951467428. 3
89951467429. 4

Question Number : 59 Question Id : 89951417257 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No
Correct Marks : 1 Wrong Marks : 0

Ducks are reared for _____.

- 1) Eggs
- 2) Meat
- 3) Both Eggs and Meat
- 4) Neither Eggs nor Meat

Options :

89951467430. 1
89951467431. 2
89951467432. 3
89951467433. 4

Question Number : 60 Question Id : 89951417258 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No
Correct Marks : 1 Wrong Marks : 0

Duck eggs are _____grams heavier than chicken eggs.

- 1) 1-5
- 2) 5-10
- 3) 15-20
- 4) 30-40

Options :

89951467434. 1
89951467435. 2
89951467436. 3
89951467437. 4

Question Number : 61 Question Id : 89951417259 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No
Correct Marks : 1 Wrong Marks : 0

Incubation period of Duck egg is _____ days.

- 1) 21
- 2) 28
- 3) 35
- 4) 42

Options :

- 89951467438. 1
- 89951467439. 2
- 89951467440. 3
- 89951467441. 4

Question Number : 62 Question Id : 89951417260 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Correct Marks : 1 Wrong Marks : 0

In _____ species of poultry, female birds are larger than male birds.

- 1) Turkey
- 2) Quail
- 3) Duck
- 4) Chicken

Options :

- 89951467442. 1
- 89951467443. 2
- 89951467444. 3
- 89951467445. 4

Question Number : 63 Question Id : 89951417261 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Correct Marks : 1 Wrong Marks : 0

Incubation period of quail eggs is _____ days.

- 1) 12
- 2) 14
- 3) 16
- 4) 18

Options :

- 89951467446. 1
- 89951467447. 2

89951467448. 3

89951467449. 4

Question Number : 64 Question Id : 89951417262 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0

Battery brooders are used for rearing quails up to _____ weeks of age.

- 1) 1
- 2) 2
- 3) 3
- 4) 4

Options :

89951467450. 1

89951467451. 2

89951467452. 3

89951467453. 4

Question Number : 65 Question Id : 89951417263 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0

In Quails, eggs have to be collected at least _____ a day.

- 1) Once
- 2) Twice
- 3) Thrice
- 4) None of them

Options :

89951467454. 1

89951467455. 2

89951467456. 3

89951467457. 4

Question Number : 66 Question Id : 89951417264 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0

Japanese quail requires ____ hours of light per day to maintain maximum egg production.

- 1) 6-8
- 2) 10-12
- 3) 14-18
- 4) 23-24

Options :

- 89951467458. 1
- 89951467459. 2
- 89951467460. 3
- 89951467461. 4

Question Number : 67 Question Id : 89951417265 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Correct Marks : 1 Wrong Marks : 0

_____ is a fleshy protuberance (swelling) hanging from the base of the beak or a fleshy wrinkled fold of skin that hangs down over a turkey's beak

- 1) Bill
- 2) Comb
- 3) Snood
- 4) Wattles

Options :

- 89951467462. 1
- 89951467463. 2
- 89951467464. 3
- 89951467465. 4

Question Number : 68 Question Id : 89951417266 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Correct Marks : 1 Wrong Marks : 0

Incubation period of Turkey Egg is ____ days.

- 1) 21
- 2) 28
- 3) 35
- 4) 42

Options :

- 89951467466. 1

89951467467. 2

89951467468. 3

89951467469. 4

Question Number : 69 Question Id : 89951417267 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Correct Marks : 1 Wrong Marks : 0

Turkey meat is considered as _____meat and is preferred for its leanness and delicacies/ flavour.

- 1) brown
- 2) red
- 3) yellow
- 4) white

Options :

89951467470. 1

89951467471. 2

89951467472. 3

89951467473. 4

Question Number : 70 Question Id : 89951417268 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Correct Marks : 1 Wrong Marks : 0

Wing-notching or wing clipping is usually practised in _____ sized Turkey.

- 1) large
- 2) medium
- 3) small
- 4) All of them

Options :

89951467474. 1

89951467475. 2

89951467476. 3

89951467477. 4

Question Number : 71 Question Id : 89951417269 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Correct Marks : 1 Wrong Marks : 0

The space required for a male breeder chicken is _____ sq. feet per bird in deep litter system.

- 1) 1.5
- 2) 1.25
- 3) 1.0
- 4) 0.75

Options :

- 89951467478. 1
- 89951467479. 2
- 89951467480. 3
- 89951467481. 4

Question Number : 72 Question Id : 89951417270 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Correct Marks : 1 Wrong Marks : 0

Males are to be reared separately up to _____ weeks and then introduced into the breeder flock.

- 1) 12
- 2) 15
- 3) 21
- 4) 28

Options :

- 89951467482. 1
- 89951467483. 2
- 89951467484. 3
- 89951467485. 4

Question Number : 73 Question Id : 89951417271 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Correct Marks : 1 Wrong Marks : 0

In case of natural mating of Chicken, the mating ratio is _____ males per 100 females.

- 1) 4
- 2) 6
- 3) 8
- 4) 12

Options :

89951467486. 1
89951467487. 2
89951467488. 3
89951467489. 4

Question Number : 74 Question Id : 89951417272 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Correct Marks : 1 Wrong Marks : 0

Adult breeders are usually kept on the _____.

- 1) floor
- 2) cages
- 3) brooders
- 4) All of them

Options :

89951467490. 1
89951467491. 2
89951467492. 3
89951467493. 4

Question Number : 75 Question Id : 89951417273 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Correct Marks : 1 Wrong Marks : 0

_____ has direct effect on the productive and reproductive performances of the breeder flock and is considered as the most important single factor influencing the fertility and hatchability of hatching eggs.

- 1) Feed
- 2) Health care
- 3) Shelter
- 4) Management

Options :

89951467494. 1
89951467495. 2
89951467496. 3
89951467497. 4

Question Number : 76 Question Id : 89951417274 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No
Correct Marks : 1 Wrong Marks : 0

_____ are considered as live manuring machines of the fish ponds.

- 1) Chicken
- 2) Turkey
- 3) Guinea Fowl
- 4) Duck

Options :

89951467498. 1
89951467499. 2
89951467500. 3
89951467501. 4

Question Number : 77 Question Id : 89951417275 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No
Correct Marks : 1 Wrong Marks : 0

Cock should be tested for _____ at around 16 weeks of age and the positive reactors should be eliminated.

- 1) Mycoplasma
- 2) Salmonella
- 3) Both Mycoplasma and Salmonella
- 4) Neither Mycoplasma nor Salmonella

Options :

89951467502. 1
89951467503. 2
89951467504. 3
89951467505. 4

Question Number : 78 Question Id : 89951417276 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No
Correct Marks : 1 Wrong Marks : 0

_____ farming is the most profitable mixed farming system.

- 1) Duck-cum-fish
- 2) Poultry-cum-pig-cum-fish
- 3) Duck-Pig-Fish-Vegetable
- 4) Poultry-cum-fish

Options :

89951467506. 1
89951467507. 2
89951467508. 3
89951467509. 4

Question Number : 79 Question Id : 89951417277 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Correct Marks : 1 Wrong Marks : 0

_____ refers to a group of bird that have similar body shape and conformation, they breed true to the type and are descended from common ancestry.

- 1) Breed
- 2) Variety
- 3) Strain
- 4) Line

Options :

89951467510. 1
89951467511. 2
89951467512. 3
89951467513. 4

Question Number : 80 Question Id : 89951417278 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Correct Marks : 1 Wrong Marks : 0

Leghorn breed belongs to _____ class of Chicken.

- 1) American
- 2) Asiatic
- 3) English
- 4) Mediterranean

Options :

89951467514. 1
89951467515. 2
89951467516. 3
89951467517. 4

Question Number : 81 Question Id : 89951417279 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Correct Marks : 1 Wrong Marks : 0

Muscovy ducks differ from the rest in their incubation period which is _____days instead of 35 days.

- 1) 15
- 2) 21
- 3) 28
- 4) 38

Options :

89951467518. 1
89951467519. 2
89951467520. 3
89951467521. 4

Question Number : 82 Question Id : 89951417280 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Correct Marks : 1 Wrong Marks : 0

Broad Breasted Bronze is a _____ breed.

- 1) Turkey
- 2) Quail
- 3) Duck
- 4) Chicken

Options :

89951467522. 1
89951467523. 2
89951467524. 3
89951467525. 4

Question Number : 83 Question Id : 89951417281 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0

Birds belonging to American class of chicken lays _____ coloured eggs.

- 1) White
- 2) Black
- 3) Brown
- 4) Yellow

Options :

- 89951467526. 1
- 89951467527. 2
- 89951467528. 3
- 89951467529. 4

Question Number : 84 Question Id : 89951417282 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0

Khaki Campbell duck lays _____ eggs per bird per year.

- 1) 110-120
- 2) 160-180
- 3) 280 -300
- 4) 300-320

Options :

- 89951467530. 1
- 89951467531. 2
- 89951467532. 3
- 89951467533. 4

Question Number : 85 Question Id : 89951417283 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0

_____ is the world's number one egg producer.

- 1) White Plymouth Rock
- 2) Leghorn
- 3) Rhode Island Red
- 4) Cornish

Options :

- 89951467534. 1
- 89951467535. 2
- 89951467536. 3
- 89951467537. 4

Question Number : 86 Question Id : 89951417284 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Correct Marks : 1 Wrong Marks : 0

In pen mating method, mating ratio per One Cock is _____ hens in egg-type birds.

- 1) 3 to 4
- 2) 6 to 7
- 3) 10 to 12
- 4) 15 to 18

Options :

- 89951467538. 1
- 89951467539. 2
- 89951467540. 3
- 89951467541. 4

Question Number : 87 Question Id : 89951417285 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Correct Marks : 1 Wrong Marks : 0

_____ method of mating is preferred where pedigree records are not maintained.

- 1) Pen
- 2) Flock
- 3) Shift
- 4) Stud

Options :

- 89951467542. 1
- 89951467543. 2
- 89951467544. 3
- 89951467545. 4

Question Number : 88 Question Id : 89951417286 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No
Correct Marks : 1 Wrong Marks : 0

_____ is defined as mating between individuals which are more closely related to each other.

- 1) Inbreeding
- 2) Outbreeding
- 3) Cross Breeding
- 4) All of them

Options :

- 89951467546. 1
- 89951467547. 2
- 89951467548. 3
- 89951467549. 4

Question Number : 89 Question Id : 89951417287 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No
Correct Marks : 1 Wrong Marks : 0

If the males are too heavy or too old for natural mating, _____ is the method of choice.

- 1) Pen mating
- 2) Stud mating
- 3) Artificial Insemination
- 4) Flock Mating

Options :

- 89951467550. 1
- 89951467551. 2
- 89951467552. 3
- 89951467553. 4

Question Number : 90 Question Id : 89951417288 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No
Correct Marks : 1 Wrong Marks : 0

_____ is defined as mating between individuals which are either not or less closely related to each other than the average relationship between all individuals in a population.

- 1) Line Breeding
- 2) Inbreeding
- 3) Outbreeding
- 4) All of them

Options :

89951467554. 1
89951467555. 2
89951467556. 3
89951467557. 4

Question Number : 91 Question Id : 89951417289 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Correct Marks : 1 Wrong Marks : 0

Sick or unthrifty birds will have small _____ combs and wattles.

- 1) Red
- 2) Orange
- 3) Yellow
- 4) Pale

Options :

89951467558. 1
89951467559. 2
89951467560. 3
89951467561. 4

Question Number : 92 Question Id : 89951417290 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Correct Marks : 1 Wrong Marks : 0

Culling at _____ is recommended, since the birds are less likely to be frightened and reduce egg production.

- 1) Night
- 2) Early Morning
- 3) Noon
- 4) Late evening

Options :

89951467562. 1
89951467563. 2
89951467564. 3
89951467565. 4

Question Number : 93 Question Id : 89951417291 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Correct Marks : 1 Wrong Marks : 0

_____ are the pullet which have started laying but are producing fewer than expected number of eggs.

- 1) Non-layers
- 2) Good layers
- 3) Poor layers
- 4) All of them

Options :

89951467566. 1
89951467567. 2
89951467568. 3
89951467569. 4

Question Number : 94 Question Id : 89951417292 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Correct Marks : 1 Wrong Marks : 0

In moulting, the feathers are lost from the _____ first.

- 1) Head
- 2) Tail
- 3) Breast
- 4) Wings

Options :

89951467570. 1
89951467571. 2
89951467572. 3
89951467573. 4

Question Number : 95 Question Id : 89951417293 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0

Hens referred to as "late moulters" will lay for _____ months before moulting.

- 1) 6-8
- 2) 12-14
- 3) 18-20
- 4) 24-26

Options :

- 89951467574. 1
- 89951467575. 2
- 89951467576. 3
- 89951467577. 4

Question Number : 96 Question Id : 89951417294 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0

Non-laying and poor laying birds should be identified by judging them at or after _____ weeks of age and should be culled.

- 1) 15-18
- 2) 20-22
- 3) 26-28
- 4) 32-34

Options :

- 89951467578. 1
- 89951467579. 2
- 89951467580. 3
- 89951467581. 4

Question Number : 97 Question Id : 89951417295 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0

In _____, the beak, shin, vent, shank and eye ring appear faint, dull, faded in colour.

- 1) Non-layers
- 2) Poor layers
- 3) Average layers
- 4) Good layers

Options :

- 89951467582. 1
- 89951467583. 2
- 89951467584. 3
- 89951467585. 4

Question Number : 98 Question Id : 89951417296 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Correct Marks : 1 Wrong Marks : 0

In case of _____, the distance between tip of the breastbone and pubic bones is less than four fingers and the region is not very soft.

- 1) Poor layers
- 2) Average layers
- 3) Non-layers
- 4) Good layers

Options :

- 89951467586. 1
- 89951467587. 2
- 89951467588. 3
- 89951467589. 4

Question Number : 99 Question Id : 89951417297 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Correct Marks : 1 Wrong Marks : 0

Judging of birds is carried out on the basis of _____.

- 1) general appearance
- 2) grace
- 3) body characters of birds
- 4) All of them

Options :

- 89951467590. 1
- 89951467591. 2
- 89951467592. 3
- 89951467593. 4

Question Number : 100 Question Id : 89951417298 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Correct Marks : 1 Wrong Marks : 0

Comb is underdeveloped in _____.

- 1) Non-layers
- 2) Good layers
- 3) Poor layers
- 4) All of them

Options :

89951467594. 1

89951467595. 2

89951467596. 3

89951467597. 4